

Stock List

Valid from April 2nd, 2015






for an excellent finish



Contents

General Information

At Hermes, tradition has a future	4
Supporting nature and the environment	5
Quality – our trademark	5
Ordering made easy	5
Hole systems for strips, triangles and discs	6
Joints for narrow and wide belts	7
Safety	54
Storage	54
Come and see our page – www.hermes-abrasives.com	57



Abrasives

Rolls

Rolls	8
Rolls, foam-backed	9
webrax -Abrasive web rolls	10

Sheets, Strips, Handpads and Triangles

webrax -Handpads	10
Sheets	11
Strips for clamps	12
Strips, velour-backed	12
Triangles, velour-backed	14
Strips, self-stick	15

Sanding sponges	16
----------------------------------	----

Abrasive belts

for power file grinders	16
for hand tool grinders	17
for sanding drums	17
for hand-held and portable machines	17
for edge grinding machines	18
for cross- and lever stroke grinding machines	19
for stationary grinding machines	20
for parquet treatment	21
Wide belts	22

Discs

Discs, velour-backed	24
Discs, self-stick	32
Discs for metallography	33
Discs for parquet treatment	34
webrax -Abrasive web floorpads	35
Sandscreen discs	35
webrax -Abrasive web discs for fine grinding	36
webrax -Abrasive web discs for Timesavers disc grinding machines	36
Discs with Fastlock System B	36
Fibre discs	38
Fibre discs, packed into cartons	38

Flap discs	40
-----------------------------	----

Hermes-Flex Cutting wheels and Grinding discs

Hermes-Flex Cutting wheels	40
Hermes-Flex Grinding discs	41

Small abrasive tools

Spirally wound abrasive sleeves	42
Abrasive cones	43
Flap wheels with shaft	43
webrax -Abrasive web unitized grinding tools with shaft	44

webrax-Abrasive web wheels

webrax -Multiclean cleaning discs	37
webrax -Abrasive web flap wheels	44

Hermes Polishing System

Rosette discs	46
Polishing foam discs	46
Polishing felt discs	47
Lambswool polishing discs	47
Polishing fluids	48
Polishing cloth	48

Sanding machines

Sanding machines and Accessories	48
--	----

Accessories

VEL-Handblocks for velour-backed strips	14
Handblocks for self-stick strips	15
Stripholder for self-stick strips	15
Foam pads for contact bars	24
VEL-Backing pads for random orbital sanding machines	29
VEL-Backing pads MULTIHOLE for random orbital sanding machines	30
VEL-Soft Pads	30
VEL-Backing pads for angle grinding machines	31
Special VEL-Backing pads for angle grinding machines	31
VEL-Handpads	32
VEL-Handblock "Palm sander"	32
Self-stick backing pads for random orbital sanding machines	33
Backing pads, Spindles and Adapter for Fastlock System B	37
Backing pad for fibre discs	39
Rubber mandrels spirally wound abrasive sleeves	42
Rubber mandrels abrasive cones	43
Side plates for webrax -Abrasive web discs	44
Backing pads for rosette discs	46

Hermes – a competent “grinding” partner all over

AT HERMES, TRADITION HAS A FUTURE

Hermes Schleifmittel is a Hamburg company in the true tradition, with roots going back to 1927. The company is not only one of the world's key manufacturers of coated abrasives – since 1993, it has also occupied a leading market position in the production of precision bonded abrasives.

Hermes owes this market position to its insistence on unsurpassed quality. We feel an obligation to this tradition and it is our main priority for the future. This obligation is the greatest incentive there is, and we devote all our energy and commitment to it – tradition shaping the future.

Hermes maintains numerous production sites and sales offices in all the main industrial and emerging nations of the world, underlining its international commitment and its efforts to provide its customers with a competent local consulting service.



1



2



3



4

A SELECTION OF OUR SITES

- 1 | Headquarters in Hamburg, Germany
- 2 | Hermes Schleifkörper GmbH, Dresden, Germany
- 3 | Hermes Austria
- 4 | Hermes USA



the world

SUPPORTING NATURE AND THE ENVIRONMENT

Compliance with national and international laws and regulations is one of the key principles of Hermes corporate policy and protection of the environment is a core constituent of our corporate responsibility.

As a consequence, as long ago as 1996, Hermes was the first European abrasives factory to be successfully audited on a voluntary basis in line with the EMAS (Eco-Management and Audit Scheme).

The management system currently being implemented covers all areas of the company, with processes relevant to the environment, as well as to quality, being described and monitored internally as well as certified externally by the TÜV-Nord organization in line with DIN EN ISO 14001 : 2009.



QUALITY – OUR TRADEMARK

Bound to tradition on the one hand, yet a pioneering developer of innovative products on the other, Hermes places greatest emphasis on the production of high-quality, state-of-the-art abrasives.

To enable this high standard of quality to be pursued and expanded still further in the future, the TÜV NORD CERT auditing company awarded the Hermes Group the quality seal for meeting the requirements of DIN EN ISO standard 9001.

Our customers – in other words you – benefit considerably from this reliability.



ORDERING MADE EASY

Either...

- **Order using the Hermes Ident Number**

Our Hermes Ident Number (e.g. 6016840) contains all the information required about the product. And we need an information about the order quantity.

... or

- **Order using your own code**

If you would you like to order our products using your own code, this is fine as long as we have agreed a clear assignment to our products with you. And we need an information about the order quantity.

... or

- **Order by describing the product**

- | | |
|--------------------------|--|
| - Order quantity | 1200 pieces |
| - Form | Discs |
| - Type | VC 151-Longlife VEL |
| - Grit | P 240 |
| - Dimension | Ø 150 x 18 mm |
| - Additional information | punched, 8x / Ø 120 mm, with centre hole |

24h hour service – Order recorded at Hermes by 14:00 – delivered within 24 hours ex stock.



IT'S YOUR CHOICE



Phone | +49 40 83 30-0

Fax | +49 40 83 30-230

E-Mail | hsd@hermes-schleifmittel.com

HOLE SYSTEMS FOR STRIPS, TRIANGLES AND DISCS

Hole system for strips

Hole system	Dimensions in the catalogue		Hermes EB No.
	for clamps	velour-backed	
 with 2 x 4 side holes	—	70 x 125 mm	104
 with 2 x 4 side holes	—	70 x 198 mm	015
 with 2 x 7 side holes	—	70 x 420 mm	012
 with 2 x 4 side holes	—	80 x 133 mm 81 x 153 mm	004
 with 2 x 4 side holes	—	81 x 153 mm	014
 with 2 x 4 side holes	93 x 230 mm	93 x 178 mm 93 x 184 mm	003
 with 2 x 3 side holes	—	100 x 115 mm	009
 8 x / Ø 87 mm	—	115 x 115 mm	008
 with 2 x 5 side holes	115 x 280 mm	115 x 230 mm	001

Hole system for triangles







Hole system	Dimensions in the catalogue		Hermes EB No.
	velour-backed		
 6 x	88 x 95		020
 6 x / Ø 52 mm	88 x 93		021
 2 x 3 side holes + 1 centre hole	99 x 147		022

JOINTS FOR NARROW AND WIDE BELTS






Hole system for discs

Hole system	Description	Dimensions in the catalogue Ø	Hermes EB No.
	Multihole	75 mm 125 mm 150 mm	150
	Multihole with centre hole	150 mm	151
	punched, 8 x / Ø 65 mm with centre hole	125 x 18 mm	019
	punched, 8 x / Ø 65 mm	115 mm 125 mm 150 mm	026
	punched, 6 x / Ø 80 mm	115 mm 125 mm 150 mm	027
	punched, 8 x / Ø 120 mm with centre hole	150 mm	036
	punched, 8 x / Ø 90 mm with centre hole	125 x 18 mm	119
	punched, 6 x / Ø 80 mm with centre hole	150 x 18 mm	127
	punched, 8 x / Ø 120 mm + 6 x / Ø 80 mm with centre hole	150 x 18 mm	135
	punched, 8 x / Ø 120 mm + 8 x / Ø 65 mm with centre hole	150 x 10 mm	137

Joints for narrow belts

Joint construction	Description	Hermes EB No.
	UBN- overlap joint	001
	UB2 overlap joint, top-skived	002
	UB8 overlap joint, top-skived	008
	SF 18 butt joint SG 24 butt joint SG 32 butt joint SG 34 butt joint SG 39 butt joint SG 40 butt joint SG 89 butt joint	018 024 032 034 039 040 089
	SW 10 butt joint SW 22 butt joint SW 27 butt joint	010 022 027
	ZZ 75 butt joint ZZ 125 butt joint	014 013

Joints for wide belts

Joint construction	Description	Hermes EB No.
	UBN- overlap joint	001
	UBN-S- overlap joint	003
	UB8 overlap joint, top-skived	008
	SZ 37 butt joint ZZ 75 butt joint	037 014
	SG 36 butt joint	036
	SF 18 butt joint SG 24 butt joint SG 32 butt joint	018 024 032

**Rolls**

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU*	OPU*
				m	m
25 mm x 50 m	RB 346 J-flex in dispenser box	P 60	6008627	50	50
		P 80	6008692	50	50
		P 100	6008693	50	50
		P 120	6008694	50	50
		P 150	6008695	50	50
		P 180	6008696	50	50
		P 220	6008697	50	50
		P 240	6008698	50	50
		P 280	6008699	50	50
		P 320	6008700	50	50
		P 400	6008791	50	50
40 mm x 25 m	RB 346 J-flex in dispenser box	P 40	6008861	25	25
40 mm x 50 m	RB 346 J-flex in dispenser box	P 60	6008793	50	50
		P 80	6008794	50	50
		P 100	6008795	50	50
		P 120	6008796	50	50
		P 150	6008797	50	50
		P 180	6008798	50	50
		P 220	6008799	50	50
		P 240	6008800	50	50
		P 320	6008801	50	50
		P 400	6008802	50	50
50 mm x 25 m	RB 346 J-flex in dispenser box	P 40	6008862	25	25
		P 50	6008816	25	25
		P 60	6008819	25	25
		P 80	6008820	25	25
		P 100	6008821	25	25
		P 120	6008822	25	25
		P 150	6008823	25	25
		P 180	6008824	25	25
		P 220	6008825	25	25
		P 240	6008826	25	25
		P 320	6008827	25	25
		P 400	6008828	25	25
50 mm x 50 m	RB 346 J-flex in dispenser box	P 60	6008803	50	50
		P 80	6008804	50	50
		P 100	6008805	50	50
		P 120	6008806	50	50
		P 150	6008807	50	50
		P 180	6008808	50	50
		P 220	6008809	50	50
		P 240	6008810	50	50
		P 280	6008811	50	50
		P 320	6008812	50	50
		P 400	6008814	50	50
70 mm x 25 m	VC 151-Longlife velour-backed, MULTIHOLE	P 80	6147643	25	25
		P 120	6147644	25	25
		P 150	6147646	25	25
		P 180	6147647	25	25
		P 240	6147649	25	25
		P 320	6155517	25	25
		P 400	6157003	25	25
	VC 152	P 180	6077687	25	25

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU*	OPU*
				m	m
70 mm x 50 m	BW 110	P 80	6156078	50	50
		P 120	6190403	50	50
95 mm x 25 m	VC 152	P 60	6083449	25	25
		P 80	6083450	25	25
		P 100	6083481	25	25
		P 120	6088827	25	25
		P 150	6103765	25	25
		P 180	6104516	25	25
		P 220	6104524	25	25
100 mm x 50 m	BW 110	P 60	6074932	50	50
		P 80	6074933	50	50
		P 100	6074934	50	50
		P 120	6074935	50	50
		P 150	6074936	50	50
	RB 346 J-flex	P 40	6008829	50	50
		P 60	6008830	50	50
		P 80	6008831	50	50
		P 100	6008832	50	50
		P 120	6008833	50	50
		P 150	6008834	50	50
		P 180	6008835	50	50
		P 220	6008836	50	50
		P 240	6008837	50	50
		P 280	6008838	50	50
		P 320	6008839	50	50
		P 400	6008840	50	50
	RB 346 MJ	P 600	5002	50	50
		P 800	5029	50	50
	FB 637 plastic core, 4 notches	P 120	2515164	50	50
		P 180	6011134	50	50
		P 240	2015897	50	50
		P 360	2116154	50	50
		P 500	2020548	50	50
		P 600	2015900	50	50
		P 800	2041073	50	50
		P 1200	2116146	50	50
		P 1500	2116138	50	50
		P 2500	2137321	50	50
115 mm x 25 m	GL 581	none	43494	50	50
115 mm x 25 m	VC 151-Longlife velour-backed, MULTIHOLE	P 80	6147654	25	25
		P 120	6147657	25	25
		P 150	6147658	25	25
		P 180	6147659	25	25
		P 240	6147660	25	25
		P 320	6157004	25	25
		P 400	6157005	25	25
115 mm x 50 m	BW 110	P 40	6164768	50	50
		P 60	6064036	50	50
		P 80	6064037	50	50
		P 100	6064038	50	50
		P 120	6055546	50	50
		P 150	6064039	50	50
		P 180	6068562	50	50
		P 220	6069461	50	50
		P 240	6162585	50	50

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

= Discontinued Goods

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU*	OPU*
115 mm x 50 m	VC 152	P 40	6075471	50	50
		P 60	6068168	50	50
		P 80	6074585	50	50
		P 100	6068169	50	50
		P 120	6067962	50	50
		P 150	6068357	50	50
		P 180	6067964	50	50
		P 220	6074057	50	50
		P 240	6072267	50	50
		P 280	6072282	50	50
		P 320	6072289	50	50
		P 400	6075086	50	50
	SF 168	P 80	6340936	50	50
		P 120	6340938	50	50
		P 150	6340940	50	50
		P 180	6340941	50	50
		P 220	6336528	50	50
		P 240	6339523	50	50
		P 280	6340942	50	50
		P 320	6340203	50	50
		P 400	6340944	50	50
		P 500	6340946	50	50
	RB 346 J-flex	P 40	6025833	50	50
		P 60	6008841	50	50
		P 80	6008842	50	50
		P 100	6008843	50	50
		P 120	6008844	50	50
		P 150	6008845	50	50
		P 180	6008846	50	50
		P 220	6026229	50	50
		P 240	6013302	50	50
		P 320	6018582	50	50
120 mm x 50 m	BW 110	P 80	6069758	50	50
		P 100	6069646	50	50
		P 120	6069695	50	50
		P 150	6070124	50	50
	GL 581	none	174831	50	50
150 mm x 50 m	BW 110	P 60	6074938	50	50
		P 80	6066084	50	50
		P 100	6074939	50	50
		P 120	6074941	50	50
		P 150	6067030	50	50
		P 180	6067799	50	50
	RB 346 J-flex	P 60	6008847	50	50
		P 80	6008848	50	50
		P 100	6008849	50	50
		P 120	6008850	50	50
		P 150	6008851	50	50
		P 180	6008852	50	50
	GL 580	none	26174	50	50
	GL 581	none	25852	50	50
	GL 581	none	19356	50	50
160 mm x 50 m	GL 581	none	73806	50	50
180 mm x 50 m	GL 581	none	73806	50	50
200 mm x 25 m	BS 118	P 16	6155199	25	25
		P 36	6155201	25	25
		P 40	6155202	25	25
		P 60	6155203	25	25
		P 100	6155205	25	25
		P 120	6155206	25	25
	BW 184	+ 60	6155223	25	25
		+ 80	6155224	25	25

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU*	OPU*
200 mm x 50 m	BW 110	P 24	6207023	50	50
		P 36	6207024	50	50
		P 40	6161919	50	50
		P 50	6217929	50	50
		P 60	6074945	50	50
		P 80	6075461	50	50
		P 100	6071991	50	50
		P 120	6074947	50	50
	RB 320 X	P 60	6025514	50	50
		P 80	6025506	50	50
		P 100	6025589	50	50
	RB 346 J-flex	P 80	6008853	50	50
		P 100	6008817	50	50
		P 120	1395769	50	50
		P 150	6008818	50	50
	FB 637 plastic core, 4 notches	P 180	6041183	50	50
		P 240	6041184	50	50
	GL 580	none	2380	50	50
	GL 581	none	82988	50	50
300 mm x 50 m	RB 406 J-flex	P 80	6015256	50	50
		P 120	6015257	1	1
		P 150	6015258	50	50
		P 180	6015259	50	50
		P 220	6015260	50	50
		P 240	6015281	50	50
		P 320	6015284	50	50
		P 400	6015283	50	50



**Rolls,
foam-backed**

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU*	OPU*
115 mm x 10 m	RB 346 J-flex Foam	P 180	6151143	10	10
115 mm x 25 m	VC 154-Longlife Foam perforated á 125 mm (= 200 sheets), in dispenser box	P 150	6364256	25	125
		P 180	6324378	25	125
		P 240	6324379	25	125
		P 280	6324381	25	125
		P 320	6324383	25	125
		P 400	6324384	25	125
		P 500	6324386	25	125
		P 600	6269949	25	125
		P 800	6269950	25	125
		P 800	6081169	150	750
115 x 140 mm	HC 134 Foam perforated, on roll in dispenser box	P 1200	6083873	150	750

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods

Phone +49 (0)40 83 30-0, Fax +49 (0)40 83 30-230
E-Mail: hsd@hermes-schleifmittel.com



for an excellent finish



webrax Abrasive web rolls



webrax Abrasive web handpads

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* m	OPU* m
100 mm x 10 m	webrax-OA 708	+ 120	33227	10	10
		+ 180	52531	10	10
		+ 280	3875	10	10
		+ 360	16659	10	10
	webrax-OS 709	+ 280	41866	10	10
		+ 500	95206	10	10
		+ 800	210366	10	10
		+ 1500	52183	10	10
	webrax-OA 710	+ 80	39802	10	10
		+ 100	107840	10	10
		+ 180	20109	10	10
		+ 280	22160	10	10
	webrax-OA 713	+ 180	102229	10	10
		+ 280	100269	10	10
	webrax-OS 715	+ 180	13110	10	10
		+ 280	34096	10	10
		+ 500	37923	10	10
		+ 800	21334	10	10
115 mm x 10 m	webrax-OA 708	+ 120	71307	10	10
		+ 180	59420	10	10
		+ 280	84611	10	10
		+ 360	65501	10	10
	webrax-OS 709	+ 280	6004918	10	10
		+ 500	69701	10	10
		+ 800	6004999	10	10
		+ 1500	71358	10	10

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
152 x 229 mm	webrax-OA 708	+ 120	16276	20	20
		+ 180	16284	20	20
		+ 280	20273	20	20
		+ 360	4235	20	20
	webrax-OS 709	+ 280	95451	20	20
		+ 500	12114	20	20
		+ 800	574	20	20
		+ 1500	27499	20	20
	webrax-OA 710	+ 80	49271	20	20
		+ 100	113751	20	20
	webrax-OA 713	+ 100	113751	20	20
	webrax-OS 715	+ 800	12491	20	20
	webrax-GP 70600 White	none	74470	20	20
	webrax-GP 70601 Brown	none	6008211	20	20
	webrax-GP 70602 Olive	none	51543	20	20

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

= Discontinued Goods



Sheets

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
115 x 140 mm 	WS flex 16 (new)	P 320	6238217	200	4.000
		P 360	6238218	200	4.000
		P 400	6238219	200	4.000
		P 500	6238220	200	4.000
		P 600	6238221	200	4.000
		P 800	6238222	200	4.000
		P 1000	6238223	200	4.000
		P 1200	6238224	200	4.000
		P 1500	6238225	200	4.000
		P 2000	6238226	200	4.000
		+ 2500	6238227	200	4.000
		P 1200	6037408	200	4.000
230 x 280 mm 	WS flex 16 Note: Will be substituted by WS flex 16 (new)				
	HCAB-Longlife	P 280	87572	100	500
		P 320	1392	100	500
	GCAB	# 40	15369	25	250
		# 50	15377	25	250
		# 220	40770	100	500
	VC 152	P 40	6075479	25	250
		P 60	6070596	50	250
		P 80	6075096	50	250
		P 100	6070597	50	250
		P 120	6075097	50	500
		P 150	6075098	100	500
		P 180	6070598	100	500
		P 220	6075099	100	500
		P 240	6075100	100	500
		P 280	6075101	100	500
		P 320	6075102	100	500
		P 400	6068698	100	500
	SA 167	P 240	2429	100	500
	SF 168	P 80	6340947	50	250
		P 100	6345792	50	250
		P 120	6340948	50	500
		P 150	6339941	100	500
		P 180	6340798	100	500
		P 220	6336531	100	500
		P 240	6339592	100	500
		P 280	6340966	100	500
		P 320	6340197	100	500
		P 400	6340950	100	500
		P 500	6340951	100	500
	RB 246 J-flex	P 100	6246567	50	500
		P 280	6246573	50	500

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
230 x 280 mm 	RB 346 J-flex	P 40	6008383	25	250
		P 50	6008384	25	250
		P 60	6008385	25	250
		P 80	6006652	50	250
		P 100	6006198	50	250
		P 120	6006199	50	500
		P 150	6006200	50	500
		P 180	6006201	50	500
		P 220	6006192	50	500
		P 240	6006202	50	500
		P 280	6006203	50	500
		P 320	6006204	50	500
		P 360	6006272	50	500
		P 400	6006205	50	500
		P 600	6006206	50	500
	RB 317 J-flex-w	P 500	65765	50	500
	RB 346 MJ	P 800	89702	50	500
	WS flex 16 (new)	P 60	6245733	50	250
		P 80	6245734	50	250
		P 100	6245735	50	500
		P 120	6245736	50	500
		P 150	6245737	100	500
		P 180	6238187	100	500
		P 220	6238188	100	500
		P 240	6238189	100	500
		P 280	6238190	100	500
		P 320	6238201	100	500
		P 360	6238202	100	500
		P 400	6238203	100	500
		P 500	6238204	100	500
		P 600	6238205	100	500
		P 800	6238206	100	500
		P 1000	6238207	100	500
		P 1200	6238208	100	500
		P 1500	6238209	100	500
		P 2000	6238210	100	500
		+ 2500	6238211	100	500
		+ 3000	6238212	100	500
		+ 5000	6316186	100	500
	WS flex 16 Note: Will be substituted by WS flex 16 (new)	+ 3000	6139658	100	500
	WS flex 18 C	P 60	20346	50	250
		P 80	13331	50	250
		P 100	6424	50	250
		P 120	6432	50	500
		P 150	15601	100	500
		P 180	12173	100	500
		P 220	9539	100	500
		P 240	19682	100	500
		P 280	12181	100	500
		P 320	8354	100	500
		P 360	10014	100	500
		P 400	8362	100	500
		P 500	57185	100	500
		P 600	272	100	500
		P 800	280	100	500
		P 1000	12203	100	500
		P 1200	8370	100	500
	WA flex 28 B (new)	P 400	6340848	100	500
		P 500	6346368	100	500
		P 600	6337516	100	500
		P 800	6329036	100	500
		P 1000	6340849	100	500
		P 1200	6340850	100	500
	WA flex 28 B Note: Will be substituted by WA flex 28B (new)	P 400	17973	100	500
		P 500	1236	100	500

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

= Discontinued Goods

**Strips for clamps****Strips,
velour-backed**

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
93 x 230 mm 	BW 110	P 60	6074956	50	750
		P 80	6074961	50	750
		P 100	6074962	100	1.500
		P 120	6074963	100	1.500
		P 150	6074964	100	1.500
	HCAB-Longlife	P 40	73512	50	750
		P 120	31909	100	1.500
		P 220	244562	100	1.500
	VC 152	P 280	6093279	100	1.500
	BW 110	P 60	6074978	50	500

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
70 x 115 mm 	VC 152 velour-backed	P 40	6090472	50	1.000
		P 60	6070599	50	1.000
		P 80	6075103	50	1.000
		P 100	6070600	50	1.000
		P 120	6075104	50	1.000
	VC 153 velour-backed	P 150	6064341	50	1.000
		P 180	6069411	50	1.000
		P 220	6069412	50	1.000
		P 240	6075335	50	1.000
		P 80	6128316	50	1.000

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

= Discontinued Goods

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
80 x 133 mm 	VC 152 velour-backed punched, with 2 x 4 side holes	P 40	6075365	50	500
		P 60	6075366	50	500
		P 80	6075367	50	500
		P 100	6075368	50	500
		P 120	6075369	50	500
		P 150	6075370	50	500
		P 180	6075371	50	500
		P 220	6075316	50	500
		P 240	6075317	50	500
		P 320	6075320	50	500
	VC 153 velour-backed punched, with 2 x 4 side holes	P 60	6139906	50	500
		P 80	6212948	50	500
		P 100	6212949	50	500
		P 120	6212950	50	500
		P 150	6184971	50	500
		P 180	6184973	50	500
	BW/RB velour-backed punched, with 2 x 4 side holes	P 60	441481	50	500
	VC 154-Longlife velour-backed punched, with 2 x 4 side holes	P 120	6237900	50	500
		P 150	6234587	50	500
		P 180	6237931	50	500
		P 220	6237932	50	500
		P 240	6237933	50	500
		P 320	6237934	50	500
		P 400	6237935	50	500
81 x 153 mm 	VC 151-Longlife velour-backed punched, with 2 x 4 side holes	P 150	6099113	50	500
		P 320	6099119	50	500
		P 400	6099120	50	500
81 x 153 mm 	VC 151-Longlife velour-backed punched, with 2 x 4 side holes	P 80	6128519	50	500
93 x 178 mm 	VC 152 velour-backed punched, with 2 x 4 side holes	P 40	6082306	50	500
		P 60	6076084	50	500
		P 80	6076085	50	500
		P 100	6076086	50	500
		P 120	6091941	50	500
		P 150	6093298	50	500
		P 280	6093311	50	500
		P 400	6093313	50	500
	VC 154-Longlife velour-backed punched, with 2 x 4 side holes	P 120	6234740	50	500
		P 180	6234753	50	500
93 x 184 mm 	HC 135 velour-backed punched, with 2 x 4 side holes	P 150	6008147	50	500
		P 220	6008156	50	500
	VC 152 velour-backed punched, with 2 x 4 side holes	P 60	6076087	50	500
		P 80	6076088	50	500
		P 120	6093314	50	500
		P 180	6093317	50	500
		P 220	6093318	50	500
		P 240	6093319	50	500
		P 280	6093320	50	500
		P 320	6093321	50	500
		P 400	6093323	50	500

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
100 x 115 mm 	VC 152 velour-backed	P 400	6093329	50	500
	VC 153 velour-backed	P 80	6212917	50	500
		P 100	6212918	50	500
		P 120	6212919	50	500
		P 150	6212920	50	500
		P 180	6212941	50	500
	VC 154-Longlife velour-backed	P 220	6237942	50	500
		P 240	6237943	50	500
	VC 153 velour-backed punched, with 2 x 3 side holes	P 180	6230997	50	500
	VC 154-Longlife velour-backed punched, with 2 x 3 side holes	P 220	6239033	50	500
		P 240	6233716	50	1.000
		P 320	6233717	50	1.000
	VC 152 velour-backed punched, 8 x / Ø 87 mm	P 60	6082292	50	500
		P 80	6082293	50	500
		P 150	6093330	50	500
115 x 115 mm 	VC 153 velour-backed punched, 8 x / Ø 87 mm	P 60	6212942	50	500
		P 80	6212943	50	500
		P 100	6212944	50	500
		P 120	6212945	50	500
		P 150	6212946	50	500
		P 180	6212947	50	500
	BW/RB velour-backed punched, 8 x / Ø 87 mm	P 180	753211	50	500
	VC 154-Longlife velour-backed punched, 8 x / Ø 87 mm	P 220	6237945	50	500
		P 240	6237946	50	500
		P 320	6237947	50	500
	HC 135 velour-backed punched, 8 x / Ø 87 mm	P 220	6008159	50	500
	VC 152 velour-backed punched, with 2 x 5 side holes	P 40	6075353	50	500
		P 60	6075355	50	500
		P 80	6075356	50	500
		P 100	6075357	50	500
		P 120	6075358	50	500
		P 150	6075359	50	500
		P 180	6075360	50	500
		P 220	6075361	50	500
		P 240	6075362	50	500
		P 280	6075363	50	500
115 x 230 mm 	VC 153 velour-backed punched, with 2 x 5 side holes	P 40	6136086	50	250
		P 60	6136087	50	500
		P 80	6136088	50	500
		P 100	6136089	50	500
		P 120	6136090	50	500
		P 150	6212951	50	500
		P 180	6212952	50	500
	VC 154-Longlife velour-backed punched, with 2 x 5 side holes	P 120	6237948	50	500
		P 150	6237949	50	500
		P 180	6237950	50	500
		P 220	6237951	50	500
		P 240	6237952	50	500
		P 320	6237953	50	500
	HC 135 velour-backed punched, with 2 x 5 side holes	P 280	6018264	100	100
		P 360	6018286	100	100

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods



for an excellent finish



VEL-Handblocks for velour-backed strips



Triangles, velour-backed

Dimension	Type / Description	Ident No.	IPU*	OPU*
Width x Length			pcs.	pcs.
68 x 196 mm	VEL-Handblock with dust extraction for velour-backed strips 70 x 198 mm with 2 x 4 side holes	6127134	1	1
70 x 125 mm	VEL-Handblock with dust extraction for velour-backed strips 70 x 125 mm with 2 x 4 side holes	6092820	1	1
70 x 400 mm	VEL-Handblock with dust extraction for velour-backed strips 70 x 400 mm with 2 x 7 side holes	6092824	1	1
81 x 153 mm	VEL-Handblock with dust extraction for velour-backed strips 81 x 153 mm with 2 x 4 side holes	6092822	1	1
115 x 230 mm	VEL-Handblock with dust extraction for velour-backed strips 115 x 230 mm with 2 x 5 side holes	6103348	1	1
	VEL-Handblock with dust extraction for velour-backed strips 115 x 230 mm with 2 x 5 side holes / 2 x 2 centre holes	6092823	1	1
25 x 4000 mm	Extraction hose VEL-Handblock with dust extraction	6018571	1	1
65 x 110 x 40 mm	VEL-Combiblock with a soft and hard side for velour-backed strips 70 x 115 mm	393398	1	1
65 x 120 x 35 mm	VEL-Handblock with lateral grips for velour-backed strips 70 x 125 mm	6215059	1	1

Dimension	Type / Description	Grit	Ident No.	IPU*	OPU*
Width x Length				pcs.	pcs.
88 x 93 mm	VC 152 velour-backed punched, 6 x / Ø 52 mm	P 40	6076504	50	50
		P 100	6076507	50	50
		P 180	6076510	50	50
		P 220	6076521	50	50
		P 240	6076522	50	50
		P 400	6093337	50	50
	VC 153 velour-backed punched, 6 x / Ø 52 mm	P 40	6136251	50	50
		P 60	6136252	50	50
		P 80	6136253	50	50
		P 100	6136254	50	50
		P 120	6136255	50	50
		P 150	6223873	50	50
		P 180	6136256	50	50
		P 220	6237959	50	50
	BW/RB velour-backed punched, 6 x / Ø 52 mm	P 100	2033399	50	50
	VC 154-Longlife velour-backed punched, 6 x / Ø 52 mm	P 320	6237937	50	50
88 x 95 mm	VC 152 velour-backed punched, 6 x	P 60	6093339	50	50
		P 150	6093342	50	50
		P 180	6093343	50	50
		P 220	6093344	50	50
		P 240	6093345	50	50
		P 320	6093347	50	50
	VC 153 velour-backed punched, 6 x	P 40	6136257	50	50
		P 60	6136258	50	50
		P 80	6136259	50	50
		P 100	6136260	50	50
		P 120	6136261	50	50
		P 150	6228464	50	50
		P 180	6136262	50	50
		P 180	2117126	50	50
	BW/RB velour-backed punched, 6 x	P 400	6237958	50	50
	VC 154-Longlife velour-backed punched, 6 x	P 60	2505517	50	50
		P 180	2505525	50	50
99 x 147 mm	HCAB-Longlife velour-backed punched, 2 x 3 side holes + 1 centre hole	P 40	6093349	50	50
		P 60	6074590	50	50
		P 80	6074586	50	50
		P 100	6074587	50	50
		P 120	6074589	50	50
		P 150	6074591	50	50
		P 180	6075477	50	50
		P 220	6075350	50	50
		P 240	6075478	50	50
		P 280	6075351	50	50
		P 320	6075352	50	50
99 x 147 mm	VC 154-Longlife velour-backed punched, 2 x 3 side holes + 1 centre hole	P 220	6237940	50	50
		P 320	6237941	50	50

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;


= Discontinued Goods



Strips, self-stick



Handblocks for self-stick strips

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
70 x 115 mm 	VC 152 self-stick in dispenser box	P 80	6094283	200	200
		P 100	6094302	200	200
		P 120	6094304	200	200
		P 150	6094305	200	200
		P 180	6094306	200	200
		P 220	6094363	200	200
	PSF-Longlife self-stick in dispenser box	P 180	240214	200	200
	SF 168 self-stick perforated on roll, without SK-cover	P 240	6340953	200	200
		P 320	6340954	200	200
		P 400	6352465	200	200
70 x 445 mm 	HCAB-Longlife self-stick Kiss Cutting	P 80	6122224	200	200
		P 100	6122225	200	200
		P 120	6122226	200	200
		P 150	6122227	200	200
		P 180	6122228	200	200
		P 240	6122230	200	200
	VC 152 self-stick pre-cut on roll	P 280	6122231	200	200
		P 500	6122234	200	200
		P 40	240508	25	100
81 x 153 mm 	VC 152 self-stick in dispenser box	P 60	6094308	200	200
		P 80	6094309	200	200
		P 120	6094311	200	200
		P 150	6094313	200	200
		P 240	6094314	200	200

Dimension Width x Length x Height	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
65 x 110 x 40 mm	SK-Handblock hard design for self-stick strips 70 x 115 mm	527904	1	1
	SK-Combiblock with a soft and a hard side for self-stick strips 70 x 115 mm	392065	1	1



Stripholder for self-stick strips

Dimension Width x Length	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
100 x 10 mm	Stripholder	6140199	1	1
200 x 20 mm	Stripholder	6140197	1	1

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods



for an excellent finish



Sanding sponges



Abrasive belts for power file grinders

Dimension Width x Length x Height	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
70 x 100 x 27 mm	Four-sided	F 36	6006225	250	250
		F 60	6005968	250	250
		F 100	6005969	250	250
		F 180	6005970	250	250
		F 220	6006031	250	250
97 x 123 x 12 mm	FHA 427 four-sided, hard	F 60	6010392	250	250
		F 100	6010391	250	250
	Premium double-sided	+ 60	6005817	250	250
		+ 100	6005818	250	250
		+ 180	6005819	250	250
		+ 220	6005820	250	250
115 x 140 x 5 mm	Premium double-sided, packed into cartons	+ 60	6012845	20	200
		+ 100	6012846	20	200
		+ 180	6012847	20	200
		+ 220	6012848	20	200
	Weiss double-sided	F 100	6005794	250	250
		F 180	6005795	250	250
		F 220	6008381	250	250
	Medium single-sided	P 60	6007276	250	250
		P 100	6006244	250	250
		P 180	6006623	250	250
		P 220	6009288	250	250
		P 280	6007277	250	250
		P 400	6009555	250	250
	Medium single-sided packed into cartons	P 600	6009556	250	250
		P 60	6012838	20	200
		P 100	6012839	20	200
		P 180	6012840	20	200
		P 220	6012841	20	200
		P 280	6012842	20	200
	FSSS 105 single-sided, super soft	P 400	6012843	20	200
		P 600	6012844	20	200
		F 100	6014845	250	250
		F 180	6014846	250	250
		F 220	6014847	250	250

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.	
6 x 520 mm	webrax-AN 701 50 SG 40 butt joint	+ 100	6161840	25	25	
6 x 610 mm	RB 377 YX SG 89 butt joint	+ 120	6085697	50	50	
10 x 330 mm	RB 377 YX SG 89 butt joint	+ 40	6104159	50	50	
		+ 60	6085698	50	50	
		+ 80	6085699	50	50	
		+ 120	6085700	50	50	
	RB 480 24 YX SG 89 butt joint	+ 40	6043841	50	50	
		+ 60	6049006	50	50	
		+ 120	6051121	50	50	
12 x 305 mm	webrax-AN 701 50 SG 40 butt joint	+ 100	6200188	25	25	
12 x 457 mm	RB 377 YX SG 89 butt joint	+ 40	6085712	50	50	
		+ 60	6059364	50	50	
		+ 80	6059538	50	50	
	webrax-AN 701 50 SG 40 butt joint	+ 180	6189524	25	250	
12 x 520 mm	webrax-AN 701 50 SG 40 butt joint	+ 180	6161872	25	25	
		+ 280	6161873	25	25	
12 x 610 mm	RB 377 YX SG 89 butt joint	+ 40	6085715	50	50	
		+ 60	6077020	50	50	
		+ 80	6085717	50	50	
		+ 100	6085721	50	50	
		+ 120	6079206	50	50	
		+ 150	6085722	50	50	
		+ 180	6085723	50	50	
		+ 240	6085724	50	50	
13 x 533 mm	RB 480 24 YX SG 89 butt joint	+ 40	6044391	50	50	
		+ 60	6044421	50	50	
15 x 330 mm	RB 377 YX SG 89 butt joint	+ 60	6085725	50	50	
20 x 520 mm	RB 346 23 MX UBN-overlap joint	P 60	230324	10	10	
		P 80	310379	25	25	
	RB 480 24 YX SG 89 butt joint	+ 40	6092301	10	10	
		+ 60	6045489	10	10	

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods



Abrasive belts for hand tool grinders

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
30 x 530 mm	RB 320 X UBN-overlap joint	P 40	6007236	10	10
		P 60	6007237	10	10
		P 80	6007238	25	25
		P 120	6007240	25	25
50 x 450 mm	RB 346 23 MX UBN-overlap joint	P 40	6210734	10	10
		P 60	6148091	10	10
		P 80	6056087	25	25
		P 240	6035978	25	25
50 x 450 mm	RB 417 YX SG 89 butt joint	+ 80	6123086	25	25
		+ 120	6123087	25	25
		+ 100	6042317	5	5
		+ 180	6042318	5	5



Abrasive belts for sanding drums

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
120 x 450 mm	RB 316 X op UB2 overlap joint, top-skived	P 80	6210731	25	25
		P 100	6210732	10	10
	RB 320 X UB2 overlap joint, top-skived	P 80	6007225	10	10
		P 100	6007226	10	10
		P 120	6007227	10	10



Abrasive belts for hand-held and portable machines

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
65 x 410 mm	HSB UB2 overlap joint, top-skived	P 40	39063	10	10
		P 60	29610	10	10
		P 80	20435	25	25
		P 100	20583	25	25
		P 120	20613	25	25
75 x 457 mm	HSB UB2 overlap joint, top-skived	P 40	214523	10	10
		P 60	174173	10	10
		P 80	174130	10	10
		P 100	174114	10	10
		P 120	272086	10	10
75 x 480 mm	HSB UB2 overlap joint, top-skived	P 40	20168	10	10
		P 60	6408	10	10
		P 80	6416	10	10
		P 100	19720	10	10
		P 120	19739	10	10
75 x 510 mm	HSB UB2 overlap joint, top-skived	P 150	54739	10	10
75 x 533 mm	HSB UB2 overlap joint, top-skived	P 60	89400	10	10
		P 80	34584	10	10
		P 100	73016	10	10
		P 40	329	10	10
		P 50	70904	10	10
		P 60	337	10	10
		P 80	8338	10	10
		P 100	19860	10	10
75 x 610 mm	HSB UB2 overlap joint, top-skived	P 120	1597	10	10
		P 150	19887	10	10
		P 180	19909	10	10
		P 220	59501	10	10
100 x 560 mm	HSB UB2 overlap joint, top-skived	P 60	148741	10	10
		P 80	167185	10	10
		P 100	167193	10	10
100 x 610 mm	HSB UB2 overlap joint, top-skived	P 40	345	10	10
		P 60	477	10	10
		P 80	20370	10	10
		P 100	20419	10	10
		P 120	18902	10	10
		P 150	11886	10	10
		P 180	96946	10	10
100 x 620 mm	HSB UB2 overlap joint, top-skived	P 40	19933	10	10
		P 50	281883	10	10
		P 60	19941	10	10
		P 80	19968	10	10
		P 100	19992	10	10
		P 120	20001	10	10
		P 150	71013	10	10

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods



Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
100 x 690 mm	HSB UB2 overlap joint, top-skived	P 40	6237160	10	10
		P 60	6070566	10	10
		P 80	6034195	10	10
		P 100	6027109	10	10
100 x 860 mm	HSB UB2 overlap joint, top-skived	P 40	109134	10	10
		P 60	28665	10	10
		P 80	19437	10	10
		P 100	5509	10	10
		P 120	31682	10	10
		P 150	31623	10	10
100 x 900 mm	HSB UB2 overlap joint, top-skived	P 80	20621	10	10
		P 100	22721	10	10
		P 120	22748	10	10
100 x 920 mm	HSB UB2 overlap joint, top-skived	P 60	7307	10	10
		P 80	23299	10	10
		P 100	163503	10	10
100 x 950 mm	HSB UB2 overlap joint, top-skived	P 60	29203	10	10
		P 80	1899	10	10
		P 120	20508	10	10
105 x 620 mm	HSB UB2 overlap joint, top-skived	P 40	28045	10	10
		P 60	28061	10	10
		P 80	26514	10	10
		P 100	41254	10	10
		P 120	26549	10	10
	RB 480 24 YX UB2 overlap joint, top-skived	P 60	6131366	10	10
		P 80	6251016	10	10
		P 100	6365472	10	10
		P 120	6365473	10	10
110 x 620 mm	HSB UB2 overlap joint, top-skived	P 40	779	10	10
		P 60	19348	10	10
		P 80	19364	10	10
		P 100	19372	10	10
		P 120	19402	10	10



Abrasive belts for edge grinding machines

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
60 x 2300 mm	RB 300 J-flex UB8 overlap joint, top-skived	# 150	6006107	25	25
120 x 2600 mm	RB 320 X UB2 overlap joint, top-skived	P 120	6149526	25	25
150 x 1850 mm	RB 320 X UB2 overlap joint, top-skived	P 60	6205456	10	10
		P 80	6172711	10	10
150 x 2000 mm	BW 110 UB2 overlap joint, top-skived	P 80	6074999	10	10
		P 100	6075000	10	10
		P 120	6075002	10	10
	RB 316 X op UB2 overlap joint, top-skived	P 40	6213059	10	10
		P 60	6213060	10	10
		P 120	6213072	10	10
		P 150	6213073	10	10

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.	
150 x 2170 mm	BW 110 UB2 overlap joint, top-skived	P 80	6112484	10	10	
		P 100	6112486	10	10	
		P 120	6102532	10	10	
		P 150	6102533	10	10	
150 x 2250 mm	BW 110 UB2 overlap joint, top-skived	P 60	6098343	10	10	
		P 80	6075003	10	10	
		P 100	6075004	10	10	
		P 120	6064100	10	10	
	BW 114 UB2 overlap joint, top-skived	P 80	324434	10	10	
		P 100	357383	10	10	
		P 120	208620	10	10	
		P 150	6019282	10	10	
150 x 2280 mm	BW 110 UB2 overlap joint, top-skived	P 60	6089685	10	10	
		P 80	6059993	10	10	
		P 100	6059992	10	10	
		P 120	6075526	10	10	
		P 150	6075006	10	10	
		BW 114 UB2 overlap joint, top-skived	P 60	104957	10	10
	P 80		76791	10	10	
	150 x 2400 mm	BW 110 UB2 overlap joint, top-skived	P 100	181579	10	10
P 120			237728	10	10	
P 150			277134	10	10	
P 80			6067566	10	10	
150 x 2600 mm	BW 110 UB2 overlap joint, top-skived	P 100	6075016	10	10	
		P 120	6075017	10	10	
		P 80	6075018	10	10	
		P 100	6075019	10	10	
150 x 3000 mm	BW 110 UB2 overlap joint, top-skived	P 120	6075020	10	10	
		P 150	6075021	10	10	
		BW 114 UB2 overlap joint, top-skived	P 80	230642	10	10
			P 100	230650	10	10
	P 120		399507	10	10	
	RB 316 X op UB2 overlap joint, top-skived		P 80	6210933	10	10
		RB 320 X UB2 overlap joint, top-skived	P 80	6006129	10	10
			P 100	6006130	10	10
			P 120	6006131	10	10
	150 x 3000 mm		BW 110 UB2 overlap joint, top-skived	P 80	6089999	10
		P 100		6095139	10	10
		P 120		6086402	10	10
P 150		6099765		10	10	
BW 114 UB2 overlap joint, top-skived		P 80	227099	10	10	
		P 100	93769	10	10	
200 x 2000 mm	BW 110 UB2 overlap joint, top-skived	P 120	93777	10	10	
		P 80	6075022	10	10	
		P 100	6075025	10	10	
200 x 2350 mm	BW 110 UB2 overlap joint, top-skived	P 120	6099919	10	10	
		P 80	6083588	10	10	
		P 100	6107067	10	10	
200 x 3000 mm	BW 110 UB2 overlap joint, top-skived	P 120	6083850	10	10	
		P 80	6082275	10	10	
		P 100	6081493	10	10	
		P 120	6065836	10	10	
	BW 114 UB2 overlap joint, top-skived	P 150	6065837	10	10	
		P 80	111082	10	10	
		P 100	124648	10	10	
		P 120	410098	10	10	
	P 150	425737	10	10		

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

= Discontinued Goods



Abrasive belts for cross- and lever stroke grinding machines

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
100 x 9000 mm	webrax-MSG SG 32 butt joint	+ 180	6015812	1	1
150 x 4800 mm	BW 110 UB2 overlap joint, top-skived	P 120	6092539	10	10
	BW 114 UB2 overlap joint, top-skived	P 120	1241753	10	10
		P 150	1267221	10	10
		P 180	6019503	10	10
	FB 637 SF 18 butt joint	P 600	6069443	10	10
		P 800	6069445	10	10
		P 1000	6069447	10	10
		P 1200	6069449	10	10
		P 1500	6050379	10	10
150 x 5400 mm	BW 114 UB2 overlap joint, top-skived	P 120	128945	10	10
		P 150	415650	10	10
150 x 6630 mm	BW 110 UB2 overlap joint, top-skived	P 80	6097174	10	10
		P 100	6097175	10	10
		P 120	6064099	10	10
150 x 6700 mm	BW 110 UB2 overlap joint, top-skived	P 80	6082266	10	10
		P 100	6082267	10	10
		P 120	6129405	10	10
	BW/RB UB2 overlap joint, top-skived	P 100	21377	10	10
150 x 6800 mm	BW 110 UB2 overlap joint, top-skived	P 60	6064324	10	10
		P 80	6062758	10	10
		P 100	6063810	10	10
		P 120	6062759	10	10
		P 150	6063816	10	10
	BW 114 UB2 overlap joint, top-skived	P 80	234508	10	10
		P 100	350990	10	10
		P 120	391948	10	10
		P 150	406732	10	10
150 x 6880 mm	BW 110 UB2 overlap joint, top-skived	P 60	6066098	10	10
		P 80	6063364	10	10
		P 100	6075026	10	10
		P 120	6075027	10	10
		P 150	6075028	10	10
		P 180	6063365	10	10
	BW 114 UB2 overlap joint, top-skived	P 80	249416	10	10
		P 100	23140	10	10
		P 120	23159	10	10
		P 150	186503	10	10

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
150 x 7000 mm	BW 110 UB2 overlap joint, top-skived	P 80	6086411	10	10
		P 100	6131857	10	10
		P 120	6086412	10	10
		P 150	6126552	10	10
	BW/RB UB2 overlap joint, top-skived	P 120	39446	10	10
	RB 480 24 YX UBN-overlap joint	+ 80	6144394	5	5
150 x 7100 mm	BW 110 UB2 overlap joint, top-skived	P 60	6075029	5	5
		P 80	6075030	10	10
		P 100	6075031	10	10
		P 120	6075033	10	10
		P 150	6075034	10	10
	BW 114 UB2 overlap joint, top-skived	P 80	91928	10	10
		P 100	47473	10	10
		P 120	39160	10	10
		P 150	39179	10	10
		P 180	181641	10	10
150 x 7200 mm	BW 110 UB2 overlap joint, top-skived	P 80	6075035	10	10
		P 100	6075036	10	10
		P 120	6070595	10	10
		P 150	6075037	10	10
	BW/RB UB2 overlap joint, top-skived	P 80	6165	10	10
	BW 114 UB2 overlap joint, top-skived	P 80	189863	10	10
		P 100	146900	10	10
		P 180	294144	10	10
150 x 7500 mm	BW 110 UB2 overlap joint, top-skived	P 80	6075038	10	10
		P 100	6075039	10	10
		P 120	6075040	10	10
		P 150	6075041	10	10
	BW 114 UB2 overlap joint, top-skived	P 80	185426	10	10
150 x 7800 mm	BW 110 UB2 overlap joint, top-skived	P 60	6082269	5	5
		P 80	6059990	10	10
		P 100	6075042	10	10
		P 120	6059989	10	10
		P 150	6075528	10	10
		P 180	6075043	10	10
	BW 114 UB2 overlap joint, top-skived	P 80	111694	10	10
		P 100	17779	10	10
		P 120	17787	10	10
		P 150	17795	10	10
		P 180	221376	10	10
		P 220	221392	10	10

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods



for an excellent finish



Abrasive belts for stationary grinding machines

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
20 x 5000 mm	Mercurit RB 590 Y SG 32 butt joint	P 120	6340520	10	10
50 x 2000 mm	RB 346 23 MX UBN-overlap joint	P 40 P 60 P 80 P 100 P 120	152692 161837 152706 346233 170682	10 10 25 25 25	10 10 25 25 25
	RB 406 J-flex SG 34 butt joint	P 80 P 150 P 180 P 220 P 320 P 400	6083630 6148526 6186414 6094633 6109580 6109592	25 25 25 25 25 25	25 25 25 25 25 25
50 x 3500 mm	RB 346 MJ UBN-overlap joint	P 240 P 320 P 400 P 500	28444 17531 17558 92401	25 25 25 25	25 25 25 25
	RB 346 23 MX UBN-overlap joint	P 36 P 40 P 50 P 60 P 80 P 100 P 120	136085 136093 161829 138061 138118 242977 276049	10 10 10 10 25 25 25	10 10 10 10 25 25 25
	RB 406 J-flex SG 34 butt joint	P 80 P 100 P 120 P 150 P 180 P 220 P 240 P 320 P 400	6073693 6143621 6077812 6087042 6075908 6186435 6073695 6103014 6070823	25 25 25 25 25 25 25 25 25	25 25 25 25 25 25 25 25 25
	RB 480 24 YX SG 24 butt joint	+	40 6213167	10	10
	webrax-AN 702 SG 32 butt joint	+ 180 + 280	1392522 871001	5 5	5 5
75 x 2000 mm	RB 346 23 MX UBN-overlap joint	P 40 P 60 P 80 P 120	152110 157929 242934 170690	10 10 25 25	10 10 25 25
	RB 377 YX SG 39 butt joint	+ 40 + 60 + 80	6332078 6332088 63538	10 10 25	10 10 25
	RB 480 24 YX SG 39 butt joint	+ 36 + 40 + 60 + 80	6323444 6323023 6323445 6323446	10 10 10 25	10 10 10 25

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
100 x 1000 mm	RB 346 23 MX SG 32 butt joint	P 60	6007213	10	10
	RB 346 23 MX ZZ 75 butt joint	P 150 P 220	322172 411396	25 25	25 25
	RB 346 23 MX SW 22 butt joint	P 80 P 100	6344014 6344027	25 25	25 25
	RB 346 23 MX SW 27 butt joint	P 120 P 180	6345650 6345692	25 25	25 25
	webrax-AN 702 SG 32 butt joint	+ 180	742481	5	5
100 x 3350 mm	RB 315 X SG 34 butt joint	P 320	6149517	10	10
100 x 3500 mm	RB 346 23 MX UBN-overlap joint	P 40 P 60 P 80 P 120	224359 152722 149233 149241	10 10 25 25	10 10 25 25
	RB 377 YX SG 24 butt joint	+ 240	6090446	25	25
	RB 377 YX SG 39 butt joint	+ 180 + 240	6323449 6323451	25 25	25 25
	RB 515 X SG 32 butt joint	P 400 P 600 P 800	6006147 6006148 6006149	5 5 5	5 5 5
	Hermesit RB 535 X SG 32 butt joint	P 150 P 240 P 320 P 400	6019651 6019652 6019653 6019654	10 10 10 10	10 10 10 10
	Hermesit RB 535 X SG 34 butt joint	P 150 P 240 P 320 P 400	6375515 6360429 6360430 6360431	10 10 10 10	10 10 10 10
	Hermesit RB 535 Y SG 32 butt joint	P 60 P 80 P 120 P 180 P 320	23558 14648 23612 168696 34045	5 5 10 10 10	5 5 10 10 10
	webrax-AN 702 SG 32 butt joint	+ 180 + 280	850950 871028	5 5	5 5
150 x 1800 mm	RB 346 23 MX SG 32 butt joint	P 60	6006150	10	10
150 x 2000 mm	RB 346 23 MX UBN-overlap joint	P 40 P 60 P 80	295434 319058 330035	10 10 10	10 10 10
	RB 480 24 YX SG 24 butt joint	+	36 6119875	10	10
	RB 480 24 YX SG 32 butt joint	+ 40 + 60 + 80	6044462 6074930 6074931	10 10 10	10 10 10
	RB 480 24 YX SG 39 butt joint	+ 36 + 40 + 60 + 80	6323442 6323443 6266401 6266402	10 10 10 10	10 10 10 10
150 x 2500 mm	RB 377 YX SG 39 butt joint	+ 120 + 150 + 180 + 240 + 320 + 400	6322736 6323453 6323454 6323455 6323456 6323458	10 10 10 10 10 10	10 10 10 10 10 10

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

■ = Discontinued Goods

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
150 x 2500 mm	RB 515 X SG 32 butt joint	P 400	6005361	5	5
		P 600	6006151	5	5
		P 800	6006152	5	5
		P 1000	6006153	5	5
	Hermesit RB 535 X SG 32 butt joint	P 240	6019633	10	10
		P 320	6019030	10	10
		P 400	6019469	10	10
	Hermesit RB 535 X SG 34 butt joint	P 150	6371119	10	10
		P 240	6360542	10	10
		P 280	6360416	10	10
		P 320	6360543	10	10
		P 400	6360417	10	10
	Hermesit RB 535 Y SG 32 butt joint	P 80	136042	5	5
		P 120	118567	10	10
		P 180	1600	10	10
		P 240	136018	10	10
	webrax-AN 702 SG 32 butt joint	+ 180	790338	5	5
		+ 280	724734	5	5
		+ 320	725161	5	5
150 x 3000 mm	RB 525 X SG 34 butt joint	P 400	6149373	10	10
150 x 3500 mm	RB 515 X SG 32 butt joint	P 400	6005362	5	5
		P 600	6006154	5	5
		P 800	6006155	5	5
		P 1000	6006156	5	5
	Hermesit RB 535 Y SG 32 butt joint	P 60	48364	5	5
		P 80	29351	5	5
		P 240	138975	5	5
	Mercurit RB 590 Y SG 32 butt joint	P 80	6232014	5	5
		P 120	6203263	10	10
	Mercurit RB 590 Y SG 34 butt joint	P 180	6203265	10	10
		P 240	6203266	10	10
		P 320	6203267	10	10
		P 400	6203268	10	10
		P 600	6203269	10	10
	Mercurit RB 598 Y SG 34 butt joint	P 240	6325138	10	10
		P 320	6326288	10	10
		P 400	6317382	10	10
		P 600	6326286	10	10
		P 800	6316680	10	10
		P 1000	6325139	10	10
		P 1200	6316924	10	10
200 x 1490 mm	RB 346 23 MX SG 32 butt joint	P 40	6006157	10	10
		P 60	6006158	10	10
200 x 1750 mm	RB 346 23 MX SG 22 butt joint	P 80	6344007	10	10
		P 100	6346371	10	10
200 x 1750 mm	webrax AN 702 SG 32 butt joint	+ 180	6094183	10	10
200 x 1800 mm	RB 346 23 MX SG 32 butt joint	P 40	6006159	10	10
		P 60	6006160	10	10
200 x 1800 mm	RB 346 23 MX SW 22 butt joint	P 80	6344046	10	10
		P 80	6344046	10	10
	RB 346 23 MX ZZ 125 butt joint	P 80	334588	10	10
		P 80	334588	10	10
300 x 4000 mm	RB 317 J-flex-w SG 34 butt joint	P 100	6149374	10	10

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
310 x 3500 mm	RB 346 J-flex SG 34 butt joint	P 80	6266949	10	10
		P 100	6266950	10	10
		P 120	6264384	10	10
		P 150	6266951	10	10
		P 180	6159030	10	10
		P 220	6266952	10	10
		P 240	6067490	10	10
		P 280	6067492	10	10
		P 320	6159028	10	10
		P 400	6158171	10	10
		+ 120	6090457	10	10
		P 80	6139021	10	10
	RB 377 YX SG 24 butt joint RB 406 J-flex SG 34 butt joint	P 100	6074280	10	10
		P 120	6081162	10	10
		P 180	6179529	10	10
		P 240	6067495	10	10
		P 320	6057524	10	10
		P 400	6073931	10	10
		P 80	6139021	10	10
		P 100	6074280	10	10



Abrasive belts for parquet treatment

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
200 x 551 mm	RB 320 X SW 10 butt joint	P 16	6062951	10	10
		P 24	6006247	10	10
		P 36	6006248	10	10
		P 40	6006249	10	10
		P 50	6006273	10	10
		P 60	6006250	10	10
		P 80	6006251	10	10
		P 100	6006252	10	10
		P 120	6006253	10	10
		P 50	6210768	10	10
		P 50	6210768	10	10
		P 180	6210783	10	10
200 x 750 mm	RB 320 X SW 10 butt joint	P 16	6049132	10	10
		P 24	6006256	10	10
		P 36	6006257	10	10
		P 40	6006258	10	10
		P 50	6006274	10	10
		P 60	6006259	10	10
		P 80	6006260	10	10
		P 100	6006261	10	10
		P 120	6006262	10	10
		P 150	6006263	10	10
		P 180	6006265	10	10
		P 150	6210782	10	10
		P 180	6210783	10	10
	RB 316 X op SW 10 butt joint RB 480 24 YX SW 10 butt joint	+ 24	6048316	10	10
		+ 36	6027366	10	10
		+ 40	6048317	10	10
		+ 50	6066653	10	10
		+ 60	6048318	10	10
		+ 80	6048320	10	10
		+ 100	6048319	10	10
		+ 120	6043590	10	10

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods



for an excellent finish

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
250 x 750 mm	RB 320 X SW 10 butt joint	P 16	6059530	5	5
		P 24	6007430	5	5
		P 30	6155232	5	5
		P 36	6007451	5	5
		P 40	6007452	5	5
		P 50	6007454	5	5
		P 60	6007456	5	5
		P 80	6007453	10	10
		P 100	6007455	10	10
		P 120	6007468	10	10
300 x 800 mm	RB 320 X SW 10 butt joint	P 24	6109788	10	10
		P 36	6059837	10	10
		P 50	6155242	10	10
		P 100	6120101	10	10
	RB 480 24 YX SW 10 butt joint	+ 24	6085973	5	5
		+ 36	6061350	5	5
		+ 40	6089447	5	5
		+ 60	6061372	5	5
		+ 80	6086593	10	10
		+ 100	6105498	10	10
		+ 120	6061373	10	10



Wide belts

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
640 x 1525 mm	BW 110 UBN-overlap joint	P 80	6100007	10	10
		P 120	6124116	10	10
930 x 1525 mm	BW 114 UBN-overlap joint	P 80	52043	10	10
		P 100	139726	10	10
		P 120	202037	10	10
		P 150	365599	10	10
930 x 1900 mm	BW 114 UBN-overlap joint	P 80	97799	10	10
		P 100	23728	10	10
		P 120	23698	10	10
		P 150	73199	10	10
		P 180	310417	10	10
	RB 377 YX SG 39 butt joint	+ 80	6328966	10	10
		+ 120	6345548	10	10
		+ 150	6334822	10	10
		+ 180	6331967	10	10
970 x 1900 mm	BW 110 UBN-overlap joint	P 80	6083460	10	10
		P 100	6084660	10	10
		P 120	6090555	10	10
1100 x 1900 mm	BW 110 UBN-overlap joint	P 60	6061489	5	5
		P 80	6061490	10	10
		P 100	6061501	10	10
		P 120	6062726	10	10
		P 150	6060906	10	10
		P 180	6073151	10	10

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
1100 x 1900 mm	BW 114 UBN-overlap joint	P 60	122971	5	5
		P 80	14559	10	10
		P 100	14567	10	10
		P 120	23221	10	10
		P 150	74144	10	10
		P 180	18821	10	10
		P 220	283827	10	10
1120 x 1900 mm	BW 110 UBN-overlap joint	P 60	6061884	5	5
		P 80	6059995	10	10
		P 100	6061883	10	10
		P 120	6058374	10	10
		P 150	6059997	10	10
		P 180	6061885	10	10
		P 220	6084847	10	10
	BW 114 UBN-overlap joint	P 60	7293	5	5
		P 80	48887	10	10
		P 100	566	10	10
		P 120	7285	10	10
		P 150	7250	10	10
		P 180	131563	10	10
1130 x 1900 mm	Hermesit RB 545 Y SG 32 butt joint	P 60	6024535	2	2
1300 x 1900 mm	BW 114 UBN-overlap joint	P 60	80187	5	5
		P 80	53392	10	10
		P 100	19380	10	10
		P 120	25895	10	10
		P 150	19399	10	10
		P 180	53406	10	10
1360 x 1900 mm	BW 110 UBN-overlap joint	P 80	6062891	10	10
		P 100	6075047	10	10
		P 120	6059184	10	10
		P 150	6059189	10	10
		P 180	6075048	10	10
	BW 114 UBN-overlap joint	P 80	7102	10	10
		P 100	236020	10	10
		P 120	209694	10	10
		P 150	7110	10	10
		P 180	406783	10	10
1120 x 2000 mm	BW 110 UBN-overlap joint	P 80	6091522	10	10
		P 100	6112827	10	10
		P 120	6079755	10	10
		P 150	6112828	10	10
	BW 114 UBN-overlap joint	P 80	735647	10	10
		P 100	646008	10	10
		P 120	735655	10	10
		P 150	1101390	10	10
		P 180	1107526	10	10
1120 x 2150 mm	Sapphire Blue CB 115 UBN-overlap joint	+ 180	6128972	10	10
	BW 110 UBN-overlap joint	P 60	6075044	5	5
		P 80	6062744	10	10
		P 100	6062745	10	10
		P 120	6063820	10	10
		P 150	6075045	10	10
		P 180	6075046	10	10
	BW 114 UBN-overlap joint	P 60	7072	5	5
		P 80	7064	10	10
		P 100	94870	10	10
		P 120	44520	10	10
		P 150	78905	10	10
		P 180	7056	10	10
	BS 118 UBN-overlap joint	P 100	6066864	10	10

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

= Discontinued Goods

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
1370 x 2150 mm	BW 110	P 80	6062719	10	10
	UBN-overlap joint	P 120	6099590	10	10
		P 180	6099655	10	10
1380 x 2150 mm	BW 110 UBN-overlap joint	P 60	6066662	5	5
		P 80	6066594	10	10
		P 100	6066596	10	10
		P 120	6072015	10	10
		P 150	6072865	10	10
		P 180	6072866	10	10
	BW 114 UBN-overlap joint	P 60	201499	5	5
		P 80	177253	10	10
		P 100	201502	10	10
		P 120	155519	10	10
		P 150	177288	10	10
		P 180	155527	10	10
	BS 119 SF 18 butt joint	P 240	6023555	10	10
		P 280	6022408	10	10
		P 320	6022068	10	10
		P 400	6061784	10	10
1130 x 2200 mm	BW 114 UBN-overlap joint	P 80	31208	10	10
		P 120	31216	10	10
1150 x 2500 mm	BW 114 UBN-overlap joint	P 80	6008628	10	10
	Sapphire Blue CB 115 UBN-overlap joint	+ 180	6140967	10	10
1130 x 2620 mm	RB 484 44 Z SG 24 butt joint	+ 100	6149350	10	10
1330 x 2620 mm	BS 118 UBN-overlap joint	P 150	69191	10	10
1350 x 2620 mm	BW 110 UBN-overlap joint	P 60	6060849	5	5
		P 80	6059818	10	10
		P 100	6059704	10	10
		P 120	6059712	10	10
		P 150	6059713	10	10
		P 180	6059714	10	10
		P 220	6059776	10	10
	BW 110 UB8 overlap joint, top-skived	P 280	6169457	10	10
		P 320	6166409	10	10
	BW 114 UBN-overlap joint	P 40	332259	5	5
		P 60	23469	5	5
		P 80	10324	10	10
		P 100	23477	10	10
		P 120	10375	10	10
		P 150	22691	10	10
		P 180	73717	10	10
		P 220	22640	10	10
	BW 114 UB8 overlap joint, top-skived	P 280	349089	10	10
		P 320	349097	10	10
		P 400	295612	10	10
	Sapphire Blue CB 115 UBN-overlap joint	+ 120	6004728	10	10
		+ 150	6004729	10	10
		+ 180	2229382	10	10
	BS 118 UBN-overlap joint	P 60	6009567	10	10
		P 120	285102	10	10
		P 150	174807	10	10
		P 180	6007218	10	10
		P 220	6022063	10	10

Dimension Width x Length	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
1350 x 2620 mm	BS 118 UB8 overlap joint, top-skived	P 240	6005924	10	10
		P 280	277622	10	10
		P 320	568864	10	10
		P 360	6021399	10	10
		P 400	6003204	10	10
		P 600	6021397	10	10
		P 800	6021594	10	10
	BS 119 SF 18 butt joint	P 320	6021418	10	10
		P 400	6000257	10	10
		P 600	6000262	10	10
	BS 119-Longlife SF 18 butt joint	P 240	6021552	10	10
		P 280	6021450	10	10
		P 320	6021425	10	10
		P 360	6021440	10	10
		P 400	6003910	10	10
		P 500	6003911	10	10
		P 600	6021391	10	10
1370 x 2620 mm	BW 110 UBN-overlap joint	P 80	6062848	10	10
		P 120	6062850	10	10
		P 180	6058307	10	10
1380 x 2620 mm	BW 114 UBN-overlap joint	P 60	6005177	5	5
		P 80	368407	10	10
		P 100	368415	10	10
		P 120	368431	10	10
		P 150	368458	10	10
		P 180	6003909	10	10
		P 220	6006720	10	10
		P 240	6021544	10	10
1400 x 2620 mm	BW 114 UBN-overlap joint	P 280	6006653	10	10
		P 80	656100	10	10
		P 120	331074	10	10
		P 150	94110	10	10
		P 180	6002389	10	10
1600 x 2620 mm	BW 116 UBN-overlap joint	P 80	6003612	5	5
		P 180	2642956	10	10
		P 220	2643014	10	10
		P 240	2642964	10	10
		P 280	6161078	10	10
		P 320	2661330	10	10
		P 400	6012970	10	10
	Hermesit RB 535 X ZZ 75 butt joint	P 180	6359989	5	5
		P 240	6359990	5	5
1600 x 2800 mm	BW 116 UBN-overlap joint	P 320	6359991	5	5
		P 180	6021408	10	10
		P 220	6114864	10	10
		P 240	6021461	10	10
		P 280	6192804	10	10
		P 320	6114865	10	10
		P 400	6102898	10	10
1540 x 3200 mm	BS 118 UBN-overlap joint webrax-AN 702 SZ 37 butt joint	P 180	682519	5	5
		+ 100	6145551	1	1
1350 x 3250 mm	BW 114 UBN-overlap joint	P 120	20761	10	10
		P 150	105635	10	10
		P 180	39888	10	10
		P 220	336483	10	10
1600 x 3500 mm	BW 116 UBN-S-overlap joint	P 320	6149429	10	10

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;


 = Discontinued Goods



for an excellent finish



**Foam pads
for contact bars**



**Discs
velour-backed**

Dimension Width x Length	Type / Description	Ident No.	IPU* m	OPU* m
40 mm	Foam pad, 3 mm	6173477	30	30
	Felt			
	Foam pad, 3 mm	6173474	30	30
	Latex felt			
70 mm	Foam pad, 5 mm	32239	30	30
	PU foam			
	Foam pad, 3 mm	6173480	30	30
	Felt			
80 mm	Foam pad, 3,5 mm	6010739	30	30
	PU foam			
	Foam pad, 5 mm	93726	30	30
	PU foam			
100 mm	Foam pad, 5 mm	39373	30	30
	PU foam			
110 mm	Foam pad, 3 mm	6173481	30	30
	Felt			
110 mm	Foam pad, 5 mm	13846	30	30
	PU foam			

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
75 mm	VC 151-Longlife velour-backed, MULTIHOLE	P 240	6173594	100	600
		P 320	6151742	100	600
		P 400	6174558	100	600
		P 500	6174581	100	600
80 mm	VC 154-Longlife velour-backed, MULTIHOLE	P 600	6258148	100	600
115 mm	FineNet FN 915 velour-backed	+ 240	6341869	20	20
		+ 360	6341870	20	20
		+ 500	6341871	20	20
		+ 600	6341872	20	20
		+ 800	6341873	20	20
		+ 1000	6341874	20	20
	VC 152 velour-backed	P 40	6075322	50	300
		P 60	6075323	50	300
		P 80	6075324	50	300
		P 100	6075325	100	600
		P 120	6075326	100	600
		P 150	6075327	100	600
		P 180	6075328	100	600
		P 220	6075330	100	600
		P 240	6075331	100	600
		P 320	6075333	100	600
		P 400	6075334	100	600
	VC 153 velour-backed	P 40	6178334	50	300
		P 50	6196489	50	300
		P 60	6142691	50	300
		P 80	6119735	50	300
		P 100	6126216	100	600
		P 120	6119736	100	600
		P 150	6119737	100	600
		P 180	6156993	100	600
	VC 151-Longlife velour-backed	P 120	6038281	100	600
		P 180	6038290	100	600
		P 220	6038688	100	600
		P 240	6039549	100	600
		P 320	6047521	100	600
		P 400	6038726	100	600
	VC 154-Longlife velour-backed	P 120	6213693	100	600
		P 180	6213694	100	600
		P 220	6218454	100	600
		P 240	6226743	100	600
		P 320	6217462	100	600
		P 400	6238048	100	600
		P 500	6217463	100	600
		P 600	6255472	100	600
		P 800	6255473	100	600
		P 1000	6296941	100	600
		P 1200	6257177	100	600
		P 1500	6257178	100	600

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
115 mm 	BS 118 velour-backed	P 40	55336	50	300
		P 60	48275	50	300
		P 80	140198	50	300
		P 120	48283	100	600
		P 180	48305	100	600
		P 220	48291	100	600
		P 320	48313	100	600
		P 400	17078	100	600
		P 600	78476	100	600
		P 800	1202952	100	600
		P 1000	1202960	100	600
		P 1200	1202979	100	600
	RB 346 87 MX velour-backed	P 40	6037553	50	300
		P 60	6037561	50	300
		P 80	6014900	50	300
		P 120	6037922	100	600
	webrax-AN 701 50 hook and loop	+ 80	6015154	20	120
		+ 100	6015155	20	120
		+ 280	6015244	20	120
	webrax-AN 702 hook and loop	+ 80	6051247	20	120
		+ 100	6039501	20	120
		+ 180	57576	20	120
115 mm 	VC 153 velour-backed punched, 8 x / Ø 65 mm	P 150	6210144	100	600
120 mm 	BS 118 velour-backed	P 40	18899	50	300
		P 60	18880	50	300
		P 80	20354	50	300
		P 100	20397	100	600
		P 120	18872	100	100
		P 180	63924	100	600
		P 220	18864	100	600
		P 320	29726	100	600
		P 400	18856	100	600
		P 600	19984	100	600
		P 800	957356	100	600
		P 1000	6003912	100	600
		P 1200	957364	100	600
	VC 152 velour-backed	P 40	6071636	50	300
		P 60	6071634	50	300
		P 80	6068896	50	300
		P 100	6068897	100	600
		P 120	6073256	100	600
		P 150	6079432	100	600
		P 180	6080217	100	600
		P 220	6073887	100	600
		P 240	6082993	100	600
		P 320	6082994	100	600
		P 400	6082996	100	600
	VC 153 velour-backed	P 40	6116342	50	300
		P 60	6116345	50	300
		P 80	6116346	50	300
		P 100	6116332	100	600
		P 120	6116348	100	600
		P 150	6116349	100	600
	VC 151-Longlife velour-backed	P 80	6037864	50	300
		P 100	6037904	100	600
		P 120	6037611	100	600
		P 180	6037582	100	600
		P 240	6037632	100	600
		P 320	6037593	100	600

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
125 mm 	VC 154-Longlife velour-backed	P 180	6213667	100	600
		P 240	6210008	100	600
		P 320	6210639	100	600
		P 400	6209365	100	600
		P 600	6257180	100	100
		P 800	6256400	100	600
	BS 118 velour-backed	P 40	443123	50	300
		P 60	601500	50	100
		P 80	151106	50	300
		P 120	151114	100	600
		P 180	151122	100	600
		P 220	151130	100	600
		P 320	670324	100	600
		P 400	151149	100	600
		P 600	695076	100	600
		P 800	1383043	100	600
		P 1000	1386719	100	600
		P 1200	1383051	100	600
	RB 346 87 MX velour-backed	P 40	6018691	50	300
		P 60	6037677	50	300
		P 80	6015530	50	300
		P 100	6005080	50	300
	CR 456 Z velour-backed	+ 40	6316707	50	300
		+ 60	6316420	50	300
		+ 80	6316421	50	300
		+ 120	6316422	50	300
	RB 515 X velour-backed	P 280	6321266	20	120
		P 400	6321267	20	120
		P 800	6321070	20	120
	Hermesit RB 530 J velour-backed	P 120	6359896	50	300
		P 150	6359881	50	300
	webrax-AN 701 50 hook and loop	+ 80	6015245	20	120
		+ 100	6015246	20	120
		+ 280	6015247	20	120
	FineNet FN 915 velour-backed	+ 240	6341875	20	20
		+ 360	6341876	20	20
		+ 500	6338922	20	20
		+ 600	6341877	20	20
		+ 800	6341878	20	20
		+ 1000	6338923	20	20
	VC 151-Longlife velour-backed, MULTIHOLE	P 60	6307376	50	300
		P 80	6173275	50	300
		P 100	6169211	100	600
		P 120	6169212	100	600
		P 150	6151593	100	600
		P 180	6179505	100	600
		P 220	6182141	100	600
		P 240	6177716	100	600
		P 320	6178769	100	600
		P 400	6174241	100	600
		P 500	6174028	100	600
	VC 154-Longlife velour-backed, MULTIHOLE	P 180	6223861	100	600
		P 220	6225689	100	600
		P 240	6217890	100	600
		P 280	6225690	100	600
		P 320	6217891	100	600
		P 400	6217892	100	600
125 mm 	HC 135 velour-backed, MULTIHOLE	P 220	6067894	100	600
		P 280	6062884	100	600
		P 360	6077088	100	600
125 mm 	VC 151-Longlife velour-backed, MULTIHOLE	P 150	6057133	100	600
		P 400	6048146	100	600
		P 500	6048147	100	600

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods



Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
125 mm 	VC 152 velour-backed punched, 8 x / Ø 65 mm	P 40	6075308	50	300
		P 60	6075309	50	300
		P 80	6075310	50	300
		P 100	6074822	100	600
		P 120	6068361	100	600
		P 150	6075311	100	600
		P 180	6075312	100	600
		P 220	6075313	100	600
		P 240	6074824	100	600
		P 280	6075314	100	600
	VC 153 velour-backed punched, 8 x / Ø 65 mm	P 320	6074825	100	600
		P 400	6074826	100	600
		P 40	6128362	50	300
		P 60	6128363	50	300
		P 80	6119305	50	300
		P 100	6128364	100	600
	VC 154-Longlife velour-backed punched, 8 x / Ø 65 mm	P 120	6119306	100	600
		P 150	6119307	100	600
		P 180	6119308	100	600
		P 120	6216446	100	600
		P 150	6238039	100	600
		P 180	6238040	100	600
		P 220	6238043	100	600
		P 240	6216447	100	600
125 x 18 mm 	VC 153 velour-backed punched, 8 x / Ø 90 mm, with centre hole	P 320	6235193	100	600
		P 400	6238049	100	600
		P 220	6008183	100	600
		P 240	6008186	100	600
		P 320	6008192	100	600
		P 40	6213730	50	300
		P 60	6213771	50	300
		P 80	6129752	50	300
		P 100	6154882	100	600
		P 120	6127336	100	600
	VC 151-Longlife velour-backed punched, 8 x / Ø 90 mm, with centre hole	P 150	6127338	100	600
		P 180	6175574	100	600
		P 80	6048149	50	300
		P 100	6051577	100	600
		P 120	6048150	100	600
		P 150	6052871	100	600
		P 180	6048163	100	600
		P 220	6038699	100	600
		P 240	6052876	100	600
		P 320	6113482	100	600
150 mm 	VC 152 velour-backed	P 400	6038737	100	600
		P 40	6075300	50	300
		P 60	6075301	50	300
		P 80	6066999	50	300
		P 100	6069353	100	600
		P 120	6063215	100	600
		P 150	6069351	100	600
		P 180	6072486	100	600
		P 220	6074066	100	600
		P 240	6075302	100	600
	VC 153 velour-backed	P 280	6075199	100	600
		P 320	6074068	100	600
		P 400	6074069	100	600
		P 24	6121324	50	300
		P 36	6121325	50	300
		P 40	6126686	50	300
		P 50	6148442	50	300
		P 60	6115300	50	300
		P 80	6116338	50	300
		P 100	6116339	100	600

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
150 mm 	VC 151-Longlife velour-backed	P 80	6016807	50	300
		P 100	6016808	100	600
		P 120	6016809	100	600
		P 150	6016810	100	600
		P 180	6016821	100	600
		P 220	6016822	100	600
		P 240	6016823	100	600
		P 320	6016824	100	600
		P 400	6016825	100	600
	VC 154-Longlife velour-backed	P 80	6205214	50	600
		P 100	6207064	100	600
		P 120	6205443	100	600
		P 150	6219583	100	600
		P 180	6208457	100	600
		P 220	6210861	100	600
		P 240	6219584	100	600
		P 280	6220447	100	600
		P 320	6213666	100	600
		P 400	6208458	100	600
	HC 135 velour-backed	P 500	6214098	100	600
		P 600	6263226	100	600
		P 800	6260760	100	600
		P 1200	6261271	100	600
		P 1500	6263625	100	600
	BS 118 velour-backed	P 280	6002286	100	600
		P 16	6136200	25	150
		P 24	6137128	50	300
		P 36	6154566	50	300
		P 40	56618	50	300
		P 60	56626	50	300
		P 80	114693	50	300
		P 100	216445	100	600
		P 120	79286	100	600
		P 180	71226	100	600
	BW 184 velour-backed	P 220	32816	100	600
		P 320	32824	100	600
		P 400	32832	100	600
		P 600	32859	100	600
		P 800	6000518	100	600
		P 1200	6005402	100	600
		+ 24	6154654	50	300
		+ 36	6154655	50	300
		+ 40	6016892	50	300
		+ 60	6016896	50	300
	Hermesit RB 530 J velour-backed webrax-OA 713 velour-backed GA 924 velour-backed	+ 80	6137784	50	300
		+ 100	6154656	100	600
		+ 120	6154657	100	600
		P 120	6359888	50	300
		+ 180	6037667	15	15
		+ 400	6011930	25	150
		+ 600	6011932	25	150
		+ 800	6011933	25	150
		P 60	6012831	20	200
		P 100	6012832	20	200
	FMA 105 velour-backed packed into cartons	P 180	6012833	20	200
		P 220	6012834	20	200
		P 280	6012835	20	200
		P 400	6012836	20	200
		P 600	6012837	20	200
		+ 240	6339062	20	20
		+ 360	6339063	20	20
		+ 500	6339064	20	20
		+ 600	6339065	20	20
		+ 800	6339066	20	20
	FineNet FN 915 velour-backed	+ 1000	6337485	20	20
		+ 1000	6173177	20	20
		+ 1500	6173532	20	20

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
150 mm 	VC 151-Longlife velour-backed, MULTIHOLE	P 60	6306901	50	300
		P 80	6154174	50	300
		P 100	6156996	100	600
		P 120	6150977	100	600
		P 150	6151591	100	600
		P 180	6150978	100	600
		P 220	6154419	100	600
		P 240	6151193	100	600
		P 320	6150979	100	600
		P 360	6156997	100	600
		P 400	6151131	100	600
		P 500	6151194	100	600
		P 80	6213272	50	300
		P 100	6213273	100	600
		P 120	6213274	100	600
	VC 154-Longlife velour-backed, MULTIHOLE	P 150	6212981	100	600
		P 180	6213275	100	600
		P 220	6213276	100	600
		P 240	6212982	100	600
		P 280	6213277	100	600
		P 320	6213278	100	600
		P 360	6263602	100	600
		P 400	6213280	100	600
		P 500	6213281	100	600
		P 600	6257049	100	600
		P 800	6254025	100	600
		P 1000	6300660	100	600
		P 1200	6254026	100	600
		P 1500	6254027	100	600
	WS flex 16 velour-backed, MULTIHOLE	P 600	6208832	100	600
		P 800	6151221	100	600
150 x 16 mm 	VC 154-Longlife velour-backed, MULTIHOLE	P 80	6367773	50	300
		P 120	6358098	100	600
		P 180	6358099	100	600
		P 220	6355796	100	600
		P 240	6378958	100	600
		P 320	6355798	100	600
		P 400	6367770	100	600
		P 500	6383865	100	600
		P 600	6377133	100	600
		P 1000	6370927	100	600
150 mm 	HC 135 velour-backed, MULTIHOLE	P 80	6151588	50	300
		P 120	6151220	100	600
		P 150	6033329	100	600
		P 180	6151589	100	600
		P 220	6036381	100	600
		P 280	6036383	100	600
		P 360	6036385	100	600
		P 500	6036387	100	600
150 mm 	VC 152 velour-backed punched, 8 x / Ø 65 mm	P 40	6075303	50	300
		P 60	6075304	50	300
		P 80	6075305	50	300
		P 100	6075306	100	600
		P 120	6075307	100	600
		P 150	6075291	100	600
		P 180	6075292	100	600
		P 240	6064116	100	600
		P 320	6075294	100	600
		P 400	6075295	100	600
	VC 151-Longlife velour-backed punched, 8 x / Ø 65 mm	P 100	6017102	100	600
		P 120	6017103	100	600
		P 220	6017106	100	600
	VC 154-Longlife velour-backed punched, 8 x / Ø 65 mm	P 150	6209947	100	600
		P 220	6207057	100	600
		P 240	6238044	100	600
	HC 135 velour-backed punched, 8 x / Ø 65 mm	P 240	6008187	100	600

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
150 mm 	VC 152 velour-backed punched, 6 x / Ø 80 mm	P 40	6069408	50	300
		P 60	6069409	50	300
		P 80	6071600	50	300
		P 100	6071645	100	600
		P 120	6064246	100	600
		P 150	6064247	100	600
		P 180	6073145	100	600
		P 220	6064248	100	600
		P 240	6075296	100	600
		P 280	6075297	100	600
		P 320	6072626	100	600
		P 400	6075298	100	600
		P 40	6119729	50	300
		P 60	6119731	50	300
		P 80	6121095	50	300
	VC 153 velour-backed punched, 6 x / Ø 80 mm	P 100	6126103	100	600
		P 120	6119732	100	600
		P 150	6119309	100	600
		P 180	6119310	100	600
		P 80	6016826	50	300
		P 100	6016827	100	600
		P 120	6016828	100	600
		P 150	6016829	100	600
		P 180	6016830	100	600
		P 220	6016831	100	600
		P 240	6016649	100	600
		P 320	6016832	100	600
		P 400	6016833	100	600
		P 280	6000005	100	600
		P 360	6000007	100	600
		P 100	6014831	100	600
		P 180	6014832	100	600
		P 220	6014833	100	600
		P 400	6014700	100	600
150 x 10 mm 	VC 152 velour-backed punched, 8 x / Ø 120 mm + 8 x / Ø 65 mm, with centre hole	P 40	6250619	50	300
		P 60	6250620	50	300
	VC 153 velour-backed punched, 8 x / Ø 120 mm + 8 x / Ø 65 mm, with centre hole	P 24	6252741	50	300
		P 36	6252742	50	300
		P 40	6251410	50	300
		P 50	6252743	50	300
		P 60	6252744	50	300
		P 80	6252745	50	300
		P 100	6252746	100	600
		P 120	6252747	100	600
		P 150	6252748	100	600
		P 180	6252749	100	600
		P 220	6252750	100	600
	VC 151-Longlife velours-kletht aftend punched, 8 x / Ø 120 mm + 8 x / Ø 65 mm, with centre hole	P 180	6257871	100	600
		P 240	6257872	100	600
		P 320	6254030	100	600
		P 400	6254041	100	600
	VC 154-Longlife velour-backed punched, 8 x / Ø 120 mm + 8 x / Ø 65 mm, with centre hole	P 80	6250641	50	300
		P 100	6250642	100	600
		P 120	6250643	100	600
		P 150	6250644	100	600
		P 180	6250645	100	600
		P 220	6250646	100	600
		P 240	6250647	100	600
		P 280	6250648	100	600
		P 320	6250649	100	600
		P 400	6250650	100	600
		P 500	6250651	100	600

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods



Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.	
150 x 18 mm 	VC 151-Longlife velour-backed punched, 6 x / Ø 80 mm with centre hole	P 60	6018666	50	300	
		P 80	6017361	50	300	
		P 120	6017362	100	600	
		P 150	6018668	100	600	
		P 180	6017363	100	600	
		P 220	6018669	100	600	
		P 240	6017364	100	600	
		P 320	6017365	100	600	
		P 360	6018671	100	600	
		P 400	6017366	100	600	
		VC 154-Longlife velour-backed punched, 6 x / Ø 80 mm with centre hole	P 80	6204191	50	300
			P 100	6210313	100	600
			P 120	6208787	100	600
			P 150	6210503	100	600
			P 180	6208794	100	600
	P 220		6208798	100	600	
	P 240		6204381	100	600	
	P 280		6208799	100	600	
	P 320		6208800	100	600	
	P 360		6263601	100	600	
150 x 18 mm 	VC 152 velour-backed punched, 8 x / Ø 120 mm, with centre hole	P 40	6069403	50	300	
		P 60	6069404	50	300	
		P 80	6068327	50	300	
		P 100	6069405	100	600	
		P 120	6068329	100	600	
		P 150	6068331	100	600	
		P 180	6072482	100	600	
		P 220	6074792	100	600	
		P 240	6068383	100	600	
		P 280	6075299	100	600	
VC 153 velour-backed punched, 8 x / Ø 120 mm, with centre hole	P 320	6073214	100	600		
	P 400	6068384	100	600		
	P 40	6119893	50	300		
	P 50	6128256	50	300		
	P 60	6116550	50	300		
	P 80	6123081	50	300		
	P 100	6116601	100	600		
	P 120	6121240	100	600		
	P 150	6120756	100	600		
	P 180	6121238	100	600		
VC 151-Longlife velour-backed punched, 8 x / Ø 120 mm, with centre hole	P 220	6117086	100	600		
	P 80	6016834	50	300		
	P 100	6016835	100	600		
	P 120	6016836	100	600		
	P 150	6016837	100	600		
	P 180	6016838	100	600		
	P 220	6016839	100	600		
	P 240	6016840	100	600		
	P 320	6016841	100	600		
	P 360	6132449	100	600		
P 400	6016842	100	600			
P 500	6037859	100	600			

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
150 x 18 mm 	VC 154-Longlife velour-backed punched, 8 x / Ø 120 mm, with centre hole	P 80	6207674	50	300
		P 100	6210312	100	600
		P 120	6208531	100	600
		P 150	6207675	100	600
		P 180	6208532	100	600
		P 220	6210033	100	600
		P 240	6207676	100	600
		P 280	6206464	100	600
		P 320	6208534	100	600
		P 400	6207677	100	600
	HC 135 velour-backed punched, 8 x / Ø 120 mm, with centre hole	P 500	6210035	100	600
		P 600	6258147	100	600
		P 800	6258822	100	600
		P 1200	6258823	100	600
		P 1500	6258824	100	600
		P 100	6008312	100	600
		P 220	6000247	100	600
		P 280	6000249	100	600
	BS 118 velour-backed punched, 8 x / Ø 120 mm, with centre hole	P 40	270717	50	300
		P 60	306924	50	300
		P 80	306932	50	300
		P 120	190608	100	600
		P 220	190632	100	600
		P 320	270725	100	600
		P 400	190616	100	600
		P 600	190624	100	600
		P 800	6005469	100	600
150 x 18 mm 	FMA 105 velour-backed punched, 8 x / Ø 120 mm, with centre hole, packed into cartons	P 100	6014841	20	200
		P 180	6014842	20	200
		P 220	6014843	20	200
		P 400	6014844	20	200
	VC 154-Longlife velour-backed punched, 8 x / Ø 120 mm + 6 x / Ø 80 mm, with centre hole	P 80	6219579	50	300
		P 100	6236747	100	600
		P 120	6219580	100	600
		P 150	6256294	100	600
		P 180	6232162	100	600
		P 220	6237020	100	600
		P 240	6239345	100	600
		P 280	6226212	100	600
		P 320	6226213	100	600
		P 360	6280088	100	600
180 mm 	VC 153 velour-backed	P 400	6226214	100	600
		P 500	6227506	100	600
		P 800	6261156	100	600
		P 1500	6258182	100	600
		P 24	6210700	25	125
		P 36	6207539	25	125
		P 40	6210130	25	125
		P 60	6207976	50	250
		P 80	6176128	50	250
		P 100	6210682	50	250
	BS 118 velour-backed	P 120	6210143	50	250
		P 150	6210149	50	250
		P 16	6154567	25	125
		P 24	6137129	25	125
		P 36	6154568	25	125
		P 40	56634	25	125
		P 60	56642	50	250
		P 80	57037	50	250
		P 100	57061	50	250
		P 120	57088	50	250

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
180 mm 	BW 184 velour-backed	+ 24 + 36 + 40 + 60 + 80 + 100 + 120	6156139 6156391 6064279 6064291 6156134 6156132 6156140	25 25 25 25 50 50 50	125 125 125 125 250 250 250
200 mm 	VC 153 velour-backed	P 24 P 36 P 40 P 50 P 60 P 80 P 100 P 120 P 150	6210920 6210129 6210131 6210712 6118016 6133645 6133646 6133647 6210150	25 25 25 50 50 50 50 50 50	125 125 125 250 250 250 250 250 250
	BW 184 velour-backed	+ 24 + 36 + 40 + 60 + 80 + 100 + 120	6147548 6147549 6086786 6040906 6139348 6147552 6147553	25 25 25 50 50 50 50	125 125 125 250 250 250 250
300 mm 	VC 153 velour-backed	P 60 P 80 P 120 P 180	6210134 6210142 6219313 6254434	50 50 50 50	50 50 50 50



VEL-Backing pads for random orbital sanders

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
70 mm 	VEL-Backing pad-FJ with bevelled edge with 5/16" UNF external thread	6123360	1	1
73 mm 	VEL-Backing pad-FJ, with bevelled edge punched, 6 x / Ø 41 mm with 1/4" UNF screw	6173041	1	1
	L-VEL-Backing pad-FJ, with bevelled edge punched, 6 x / Ø 41 mm, with 5/16" UNF screw	6246556	1	1
89 x 12 mm 	VEL-Backing pad-FJ with 5/16" UNF external thread	6255320	1	1

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
123 mm 	VEL-Backing pad-FJ with bevelled edge without holes, with 5/16" UNF external thread	6093577	1	1
123 mm 	VEL-Backing pad-FJ, with bevelled edge punched, 5 x / Ø 72 mm with 5/16" UNF external thread	6075523	1	1
123 mm 	VEL-Backing pad-FJ, with bevelled edge punched, 8 x / Ø 65 mm with 5/16" UNF external thread	6151581	1	1
123 x 20 mm 	VEL-Backing pad-FJ punched, 8 x / Ø 90 mm, with centre hole	6249814	1	1
147 mm 	VEL-Backing pad-J with bevelled edge with 5/16" UNF external thread for discs Ø 150 mm and 155 mm	180335	1	1
147 mm 	VEL-Backing pad-J, with bevelled edge punched, 6 x / Ø 80 mm with M8 and 5/16" screw	6017058	1	1
147 mm 	VEL-Backing pad-J, with bevelled edge punched, 8 x / Ø 120 mm with centre hole, with M8 screw	6017059	1	1
	VEL-Backing pad-J, with bevelled edge punched, 8 x / Ø 120 mm with centre hole for screw fixing	6000266	1	1
	MC-VEL-Backing pad-J with bevelled edge punched, 8 x / Ø 120 mm with centre hole, with M8 screw	6272896	1	1
148 mm 	VEL-Backing pad-FJ, with bevelled edge without holes, with 5/16" UNF external thread	6002347	1	1
148 mm 	VEL-Backing pad-FJ, with bevelled edge punched, 8 x / Ø 65 mm with 5/16" UNF external thread	6093575	1	1
148 mm 	VEL-Backing pad-FJ, with bevelled edge punched, 6 x / Ø 80 mm with 5/16" UNF external thread	6019518	1	1
148 mm 	VEL-Backing pad-FJ, with bevelled edge punched, 8 x / Ø 120 mm with centre hole, with M8 screw	6093578	1	1
148 mm 	VEL-Backing pad-GML with bevelled edge punched, 8 x / Ø 120 mm + 8 x / Ø 65 mm, with M8 + 5/16" adapter	6283456	1	1

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods



VEL-Backing pad MULTIHOLE for random orbital sanders



VEL-Soft Pads

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
123 mm 	VEL-Backing pad MULTIHOLE II with bevelled edge, soft with adapter and M8 and 5/16" UNF screw	6307127	1	1
	VEL-Backing pad MULTIHOLE II, with bevelled edge, medium with adapter and M8 and 5/16" UNF screw	6302043	1	1
	VEL-Backing pad MULTIHOLE II, with bevelled edge, hard with adapter and M8 and 5/16" UNF screw	6307126	1	1
	VEL-Backing pad-J, with bevelled edge MULTIHOLE backing pad with adapter and M8 and 5/16" UNF screw	6313577	1	1
	Cover for backing pads MULTIHOLE	6309964	10	10
147 mm 	VEL-Backing pad MULTIHOLE II with bevelled edge, soft with adapter and M8 and 5/16" UNF screw	6307128	1	1
	VEL-Backing pad MULTIHOLE II with bevelled edge, hard with adapter and M8 and 5/16" UNF screw	6307125	1	1
	VEL-Backing pad MULTIHOLE II with bevelled edge, medium with adapter and M8 and 5/16" UNF screw	6274607	1	1
	VEL-Backing pad-J MULTIHOLE backing pad with adapter and M8 and 5/16" UNF screw	6313504	1	1
	Cover for backing pads MULTIHOLE	6302362	10	10
148 x 18 mm 	VEL-Backing pad-GML with bevelled edge, punched, 21 x, Multihole with centre hole	6251643	1	1


Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
70 mm 	VEL-Soft Pad without holes, for discs Ø 75 mm	1357239	1	1
123 mm 	VEL-Soft Pad without holes, for discs Ø 125 mm	6136993	1	1
123 mm 	VEL-Soft Pad Multihole, with adapter for discs Ø 125 mm	6271667	1	1
123 x 18 mm 	VEL-Soft Pad punched, 8 x / Ø 90 mm, with centre hole for discs Ø 125 mm	6215063	1	1
145 mm 	VEL-Soft Pad without holes, for discs Ø 150 mm	6136977	1	1
145 x 18 mm 	VEL-Soft Pad punched, 6 x / Ø 80 mm with centre hole	6234633	1	1
145 x 18 mm 	VEL-Soft Pad punched, 8 x / Ø 120 mm, with centre hole	6136991	1	1
147 mm 	VEL-Soft Pad for discs Ø 150 mm	6240565	1	1

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods



**VEL-Backing pad
for angle grinding
machines**



**Special-
VEL-Backing pad
for angle grinding
machines**

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
112 mm 	VEL-Backing pad-X with M14 thread for discs Ø 115 mm	47104	1	1
	VEL-Backing pad-J, with bevelled edge with M14 thread for discs Ø 115 mm	48593	1	1
118 mm 	VEL-Backing pad-X with M14 thread for discs Ø 120 mm	48747	1	1
123 mm 	VEL-Backing pad-X with M14 thread for discs Ø 125 mm	47724	1	1
	VEL-Backing pad-J, with bevelled edge with M14 thread for discs Ø 125 mm	57282	1	1
147 mm 	VEL-Backing pad-X with M14 thread for discs Ø 150 mm	77216	1	1
	VEL-Backing pad-J, with bevelled edge for discs Ø 150 mm	54127	1	1
175 mm 	VEL-Backing pad-X with M14 thread for discs Ø 180 mm	116092	1	1

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
112 mm 	Special VEL-Backing pad-X with M14 thread for webrax discs Ø 115 mm	2318911	1	1
113 mm 	Special VEL-Backing pad-X with centring device for webrax discs Ø 115 x 22 mm	6323887	1	1
123 mm 	Special VEL-Backing pad-X for webrax discs Ø 125 mm	2318938	1	1
123 mm 	Special VEL-Backing pad-X with centring device for webrax discs Ø 125 x 22 mm	6323886	1	1
147 mm 	Special VEL-Backing pad-X with M14 thread for webrax discs Ø 150 mm	2318962	1	1
175 mm 	Special VEL-Backing pad-X with M14 thread for webrax discs Ø 180 mm	2318970	1	1

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods


VEL-Handpad

Discs, self-stick

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
148 mm 	VEL-Handpad for discs Ø 150 mm	6010337	1	1


**VEL-Handblock
"Palm sander"**


Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
150 mm	VEL-Handblock "Palm sander" for discs Ø 150 mm	6086496	1	1

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
80 mm 	webrax-MSG self-stick	+ 400	207896	100	100
110 mm 	SF 168 self-stick	P 150 P 180 P 240 P 320 P 400 P 500	6120716 6340955 6340956 6340957 6354276 6355332	200 200 200 200 200 200	1.200 1.200 1.200 1.200 1.200 1.200
120 mm 	BS 118 self-stick	P 40 P 60 P 80 P 120 P 220 P 320 P 400 P 600	18848 9849 9857 9865 9903 17051 817 825	50 50 50 100 100 100 100 100	300 300 300 600 600 600 600 600
125 mm 	SF 168 self-stick	P 80 P 100 P 120 P 150 P 180 P 240 P 280 P 320 P 400 P 500	6120225 6120226 6120230 6120231 6340958 6340959 6118625 6340960 6343356 6352399	100 200 200 200 200 200 200 200 200 200	600 1.200 1.200 1.200 1.200 1.200 1.200 1.200 1.200 1.200
125 mm 	Hermesit RB 530 06 J self-stick	P 120	6036355	50	300
125 mm 	SF 168 self-stick perforated, on roll 1", without SK cover	P 120 P 180 P 240 P 320	6122193 6340961 6340962 6340963	200 200 250 250	200 200 250 250
150 mm 	VC 152 self-stick	P 40 P 60 P 80 P 100 P 150 P 180 P 220	6094338 6094339 6094340 6083438 6094342 6094343 6094346	50 50 50 100 100 100 100	300 300 300 600 600 600 600
	VC 154-Longlife self-stick	P 120 P 150 P 180 P 220 P 240	6331096 6330467 6327517 6325031 6324859	100 100 100 100 100	600 600 600 600 600
	HC 135 self-stick	P 150 P 220 P 240	6000410 6000412 6000413	100 100 100	600 600 600

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

= Discontinued Goods

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
150 mm 	PSF-Longlife self-stick	P 150 P 400	36331 4073	200 200	1.200 1.200
	SF 168 self-stick	P 60 P 120 P 180 P 320 P 400 P 500	6117966 6346087 6340964 6340965 6358100 6354430	100 100 200 200 200 200	600 600 1.200 1.200 1.200 1.200
	SF 168 self-stick perforated, on roll 1", without SK cover	P 100 P 180	6122204 6122207	150 200	150 200
150 mm 	VC 152 self-stick punched, 6 x / Ø 80 mm	P 40 P 60 P 80 P 100 P 120 P 150 P 180 P 240	6094349 6094350 6094351 6094352 6094353 6094354 6094355 6094358	50 50 50 100 100 100 100 100	300 300 300 600 600 600 600 600
	HC 135 self-stick punched, 6 x / Ø 80 mm	P 150 P 220 P 240 P 400	6000221 6000232 6000233 6000242	100 100 100 100	600 600 600 600
	VC 154-Longlife self-stick punched, 6 x / Ø 80 mm	P 120 P 150 P 180 P 240 P 320 P 400	6332822 6328441 6332824 6332825 6328440 6332826	100 100 100 100 100 100	600 600 600 600 600 600
200 mm 	BW 110 self-stick	P 60 P 80	6239328 6225973	50 50	250 250
600 mm 	BW 110 self-stick	P 40 P 60	6227933 6225738	25 25	25 25



SK-Backing pad for random orbital sander

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
123 x 15 mm 	SK-Backing pad J-flex straight design, punched, 5 x / Ø 72 mm, with vinyl cover and 5/16" UNF external thread	6255332	1	1
147 mm 	SK-Backing pad-FJ bevelled design, with 5/16" UNF external thread	6260067	1	1
148 x 12 mm 	SK-Backing pad-FJ bevelled design, punched, 6 x / Ø 80 mm, with 5/16" UNF external thread	6256472	1	1






Discs for metlalography

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
200 mm 	WS flex 18 C	P 80 P 120 P 180 P 240 P 320 P 400 P 500 P 600 P 800 P 1000 P 1200 + 2500	6006091 6006092 117668 6037624 6003918 117641 6006093 129348 6005706 112259 98558 6133906	50 100 100 100 100 100 100 100 100 100 100 100	250 500 500 500 500 500 500 500 500 500 500 500
	WS flex 18 C self-stick	P 120 P 180 P 320 P 400 P 600 P 800 P 1000 P 1200	6006065 6006066 6004927 6006067 138886 6037594 99791 6006068	100 100 100 100 100 100 100 100	500 500 500 500 500 500 500 500





IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
230 mm 	WS flex 18 C	P 60	42706	50	50
		P 80	40320	50	50
		P 120	59986	100	100
		P 180	33685	100	100
		P 220	49506	100	100
		P 240	33693	100	100
		P 320	4138	100	100
		P 400	77046	100	100
		P 500	5770	100	100
		P 600	38237	100	100
		P 800	4146	100	100
		P 1000	34215	100	100
		P 1200	4154	100	100
		+ 2500	6137435	100	100
250 mm 	WS flex 18 C	P 80	53724	50	50
		P 120	17116	100	100
		P 180	17140	100	100
		P 220	119261	100	100
		P 240	107557	100	100
		P 320	17167	100	100
		P 400	43257	100	100
		P 500	6006094	100	100
		P 600	93408	100	100
		P 800	143057	100	100
		P 1000	119253	100	100
		P 1200	49530	100	100
		+ 2500	6134515	100	100
	WS flex 18 C self-stick	P 120	6006069	100	100
		P 180	6006070	100	100
		P 240	6008002	100	100
		P 320	6006072	100	100
		P 400	6006074	100	100
		P 600	6006058	100	100
		P 800	6037793	100	100
		P 1000	83097	100	100
300 mm 	WS flex 18 C	P 60	6006095	50	50
		P 80	8788	100	100
		P 120	57975	100	100
		P 180	34452	100	100
		P 220	23361	100	100
		P 240	6037793	100	100
		P 320	34479	100	100
		P 400	8753	100	100
		P 500	34487	100	100
		P 600	103527	100	100
		P 800	440272	100	100
		P 1000	8761	100	100
		P 1200	34495	100	100
		+ 2500	6133351	100	100
	WS flex 18 C self-stick	P 80	6037625	100	100
		P 120	6002908	100	100
		P 180	6006060	100	100
		P 240	6002912	100	100
		P 320	6006081	100	100
		P 400	5827	100	100
		P 600	6002910	100	100
		P 800	6002911	100	100
350 x 40 mm 	BW 110 with centre hole	P 40	6175506	50	50
		P 50	6213931	50	50
		P 60	6075082	50	50
		P 80	6075083	50	50
		P 100	6075084	50	50
		P 120	6195545	50	50
		P 220	6239881	50	50
		P 400	6237930	50	50




Discs for parquet treatment

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
150 x 7 mm 	BW 110 with 8 slots and with centre hole	P 24	6210151	50	300
		P 36	6210156	50	300
		P 40	6210172	50	300
		P 50	6213919	50	300
		P 60	6075049	50	300
		P 80	6075050	50	300
		P 100	6075061	100	600
		P 120	6075062	100	600
	BS 118 with 8 slots and with centre hole	P 16	6164411	25	125
175 x 22 mm 	BW 110 with 8 slots and with centre hole	P 24	6210153	25	125
		P 36	6210158	25	125
		P 40	6210173	50	250
		P 50	6213920	50	250
		P 60	6075064	50	250
		P 80	6075065	50	250
		P 100	6075066	50	250
		P 120	6075067	100	500
	BS 118 with 8 slots and with centre hole	P 16	6155249	25	150
		P 24	6155250	25	125
		P 36	6155251	25	125
		P 40	1539183	50	250
		P 60	1576216	50	250
		P 80	1539167	50	250
180 x 22 mm 	BW 110 with 8 slots and with centre hole	P 24	6210154	25	125
		P 36	6210159	25	125
		P 40	6210175	50	250
		P 60	6210178	50	250
		P 80	6210181	50	250
		P 100	6210184	50	250
		P 120	6210187	100	500
	BS 118 with 8 slots and with centre hole	P 16	6155252	25	125
		P 24	6155253	25	125
180 x 22 mm 	BW 110 with hole, cross slot BW/RB with hole, cross slot	P 40	6210174	50	250
		P 40	20834	50	250
		P 80	20303	50	250
	BW 110 double-sided with centre hole BW/RB double-sided with centre hole	P 40	6210176	25	25
		P 60	6210179	25	25
		P 80	6210182	25	25
		P 100	6210185	25	25
		P 80	6008679	25	25
375 x 40 mm 	BS 118 double-sided with centre hole	P 16	6155256	10	10
		P 24	6155257	10	10


IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;


= Discontinued Goods



Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
410 x 25 mm 	BW 110 double-sided with centre hole	P 40	6210177	25	25
		P 60	6210180	25	25
		P 80	6210183	25	25
		P 100	6210186	25	25
		P 120	6210189	25	25
	BS 118 double-sided with centre hole	P 16	6155261	10	10
		P 24	6138683	10	10
		P 36	6052719	10	10
		P 40	6039021	10	10
		P 60	6046652	10	10






webrax- Abrasive web floorpads

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
200 mm 	webrax-FP0 791 Red Thinline	none	6158725	10	10
	webrax-FP0 791 Tan Thinline	none	6158726	10	10
380 mm 	webrax-FP0 791 Tan Thinline	none	6004808	10	10
	webrax-FPA 792 Black Thickline	+ 80	6004740	5	5
	webrax-FP0 792 Red Thickline	none	6004758	5	5
	webrax-FP0 792 Tan Thickline	none	6004767	5	5
	webrax-FP0 792 White Thickline	none	6004776	5	5
406 mm 	webrax-FPA 791 Black Thinline	+ 80	6154978	10	10
	webrax-FPA 791 Green Thinline	+ 100	6154979	10	10
	webrax-FP0 791 Red Thinline	none	6154980	10	10
	webrax-FP0 791 Tan Thinline	none	6154981	10	10
	webrax-FPA 791 White Thinline	none	6154982	10	10
	webrax-FPA 792 Black Thickline	+ 80	6154983	5	5
	webrax-FPA 792 Green Thickline	+ 100	6154984	5	5
	webrax-FP0 792 Red Thickline	none	6154985	5	5
	webrax-FP0 792 Tan Thickline	none	6154986	5	5
	webrax-FP0 792 White Thickline	none	6154987	5	5

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
430 mm 	webrax-FPA 791 Black Thinline	+ 80	6004786	10	10
	webrax-FPA 791 White Thinline	none	6154996	10	10
	webrax-FPA 792 Black Thickline	+ 80	6004742	5	5
	webrax-FPA 792 Green Thickline	+ 100	6004751	5	5
	webrax-FP0 792 Red Thickline	none	6004760	5	5
	webrax-FP0 792 Tan Thickline	none	6004769	5	5
	webrax-FP0 792 White Thickline	none	6004778	5	5



Sandscreen discs


Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
200 x 6 mm 	GS 91350 with centre hole	+ 120	6003398	40	40
		+ 150	6003399	40	40
330 mm 	GS 91350	+ 100	6003392	10	10
380 mm 	GS 91350	+ 80	6002613	10	10
		+ 100	6002741	10	10
		+ 120	6002742	10	10
		+ 150	6002446	10	10
406 mm 	GS 91350	+ 60	6154988	10	10
		+ 80	6154990	10	10
		+ 100	6154991	10	10
		+ 120	6154993	10	10
		+ 150	6154994	10	10
		+ 180	6154995	10	10
430 mm 	GS 91350	+ 60	6002743	10	10
		+ 80	6002744	10	10
		+ 100	6002745	10	10
		+ 120	6002746	10	10
		+ 150	6002447	10	10

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods

**webrax-Abrasive web discs for fine grinding**

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
115 x 22 mm 	webrax-AN 701 50 with centre hole for clamps or hook and loop	+ 80 + 100	6037588 6038171	20 20	120 120
	webrax-AN 702 with centre hole for clamps or hook and loop	+ 80 + 100	6051160 6047507	20 20	120 120
115 x 22 mm 	webrax-AN 701 50 with centre hole for clamps or hook and loop	+ 80 + 100	6037588 6038171	20 20	120 120
	webrax-AN 702 with centre hole for clamps or hook and loop	+ 80 + 100	6051160 6047507	20 20	120 120
180 x 22 mm 	webrax-AN 702 with centre hole for clamps or hook and loop	+ 80	6059370	20	20

**webrax-Abrasive web discs for discus grinding machines**


Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
900 mm 	webrax-AN 707 10 hook and loop	+ 100 + 180 + 280	6043650 6040201 6047638	5 5 5	5 5 5
	webrax-AN 707 20 hook and loop	+ 120	6122534	5	5
	webrax-AN 707 10 hook and loop	+ 100 + 280	6054349 6043661	5 5	5 5
1220 mm 	webrax-AN 707 10 hook and loop	+ 100 + 280	6054349 6043661	5 5	5 5
	webrax-AN 707 20 hook and loop	+ 120	6119259	5	5
1550 mm 	webrax-AN 707 10 hook and loop	+ 100 + 280	6043666 6048011	5 5	5 5
	webrax-AN 707 20 hook and loop	+ 120	6124671	5	5

**Discs with Fastlock System B**

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
38 mm	RB 377 YX with Fastlock System B	+ 180	6079583	50	50
50 mm 	RB 377 YX with Fastlock System B	+ 36 + 60 + 80 + 120 + 180	6057236 6058175 6058176 6058177 6058178	50 50 50 50 50	50 50 50 50 50
	RB 486 44 Z with Fastlock System B	+ 36 + 40 + 50 + 60 + 80	6128302 6017236 6128303 6128304 6128305	50 50 50 50 50	50 50 50 50 50
	CR 456 Z with Fastlock System B	+ 36 + 60 + 80	6174979 6174980 6174981	50 50 50	50 50 50
	CR 456 fibre-Procut with Fastlock System B	+ 36 + 50 + 60 + 80 + 120	6319217 6319218 6319219 6319220 6319221	50 50 50 50 50	50 50 50 50 50
	Hermesit RB 535 X with Fastlock System B	P 150	6058212	50	50
	webrax-AN 701 50 with Fastlock System B	+ 80 + 100 + 280	6058199 6058200 6058201	50 50 50	50 50 50
	webrax-AN 707 10 with Fastlock System B	+ 80 + 100 + 280	6007281 6007282 6009323	50 50 50	50 50 50
	webrax-Multiclean with Fastlock System B	none	6058205	10	10
	RB 346 23 MX with Fastlock System B	P 120	6004064	50	50
	RB 377 YX with Fastlock System B	+ 36 + 60 + 80 + 120 + 180	6058179 6058180 6058191 6058192 6058211	50 50 50 50 50	50 50 50 50 50
	RB 486 44 Z with Fastlock System B	+ 36 + 50 + 60 + 80	6128306 6128308 6128309 6128310	50 50 50 50	50 50 50 50
	CR 456 Z with Fastlock System B	+ 36 + 60	6174982 6174983	50 50	50 50
	CR 456 fibre-Procut with Fastlock System B	+ 36 + 50 + 60 + 80 + 120	6319213 6319214 6319215 6302481 6319216	50 50 50 50 50	50 50 50 50 50
	webrax-AN 701 50 with Fastlock System B	+ 80 + 100 + 280	6058202 6058203 6058204	25 25 25	25 25 25
	webrax-Multiclean with Fastlock System B	none	6058206	10	10

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

= Discontinued Goods



Backing pads, spindles and adapter for Fastlock System B




webrax- Multiclean cleaning discs

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
23 mm ●	Backing pad Fastlock System B with 1/4" thread	6340991	1	1
33 mm ●	Backing pad Fastlock System B with 1/4" thread	6004138	1	1
45 mm ●	Backing pad Fastlock System B for discs Ø 50 mm	6004139	1	1
	Backing pad-X Fastlock System B for discs Ø 50 mm	6010413	1	1
70 mm ●	Backing pad Fastlock System B for discs Ø 75 mm	6004140	1	1
75 mm ○	WF-VEL-Soft Pad, 16 mm for polishing discs Ø 75 mm - 80 mm	6010740	1	1
6 x 50 mm	Spindle with 1/4" thread for backing pad Fastlock System B	6004141	1	1
	Adapter M14 to 1/4" for grinding machines with M14 thread	6004142	1	1

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
100 x 13 mm ●	webrax-Multiclean with centre hole	none	2674076	10	10
115 x 22 mm ●	webrax-Multiclean with centre hole on glass-fibre backing pad	none	6080418	5	5
125 x 22 mm ●	webrax-Multiclean with centre hole on glass-fibre backing pad	none	6098486	5	5
150 x 13 mm ●	webrax-Multiclean with centre hole	none	2674084	10	10
6 x 52 mm	Spanndorn with M12 thread for webrax-Multiclean - cleaning discs		2674106	1	1

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;


 = Discontinued Goods

**Fibre discs**

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
115 x 22 mm 	RB 314 fibre with hole, cross slot	P 16	6007214	100	100
		P 24	25593	100	100
		P 36	25631	100	100
		P 40	7986	100	100
		P 50	19208	100	100
		P 60	8230	100	100
		P 80	8249	100	100
		P 100	6006096	100	100
		P 120	6006275	100	100
	RB 414 X with hole, cross slot	+ 36	824216	100	100
	RB 414 X-Procut with hole, cross slot	+ 36	6006372	100	100
		+ 40	6006373	100	100
		+ 50	6006374	100	100
		+ 60	6006375	100	100
		+ 80	6006376	100	100
		+ 100	6006377	100	100
	CR 456 fibre-Procut with hole, cross slot	+ 36	6166165	100	100
		+ 50	6169010	100	100
		+ 60	6167586	100	100
		+ 80	6166167	100	100
	webrax-AN 703 50 with centre hole	+ 80	6017023	25	25
125 x 22 mm 	RB 314 fibre with hole, cross slot	P 24	25798	100	100
		P 36	25887	100	100
		P 40	25801	100	100
		P 50	125962	100	100
		P 60	25925	100	100
		P 80	25933	100	100
		P 100	6006380	100	100
		P 120	6006381	100	100
	RB 414 X with hole, cross slot	+ 36	2237695	100	100
		+ 50	2399288	100	100
	RB 414 X-Procut with hole, cross slot	+ 36	6006382	100	100
		+ 40	6006383	100	100
		+ 50	6006384	100	100
		+ 60	6006385	100	100
		+ 80	6006386	100	100
		+ 100	6006387	100	100
	CR 456 fibre-Procut with hole, cross slot	+ 36	6165839	100	100
		+ 50	6167585	100	100
		+ 60	6170978	100	100
		+ 80	6168175	100	100
150 x 22 mm 	RB 314 fibre with hole, cross slot	P 24	331392	100	100
		P 36	6006389	100	100
		P 40	6006390	100	100
		P 60	6006391	100	100
		P 80	6006392	100	100

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
180 x 22 mm 	RB 314 fibre moulded B22, with hole, cross slot	P 24	18295	100	100
		P 36	8222	100	100
		P 40	5304	100	100
		P 50	5312	100	100
		P 60	7838	100	100
		P 80	4847	100	100
		P 120	6006277	100	100
	RB 414 X moulded B22, with hole, cross slot	+ 36	620920	100	100
		+ 50	2360969	100	100
	RB 414 X-Procut moulded B22, with hole, cross slot	+ 36	6006394	100	100
		+ 50	6006396	100	100
		+ 60	6006397	100	100
		+ 80	6006398	100	100
		+ 100	6006399	100	100
		+ 120	6006400	100	100
	CR 456 fibre-Procut moulded B22, with hole, cross slot	+ 36	6176898	100	100
		+ 50	6167608	100	100
		+ 60	6166215	100	100
		+ 80	6167980	100	100
	webrax-AN 703 50 with centre hole	+ 80	6016980	25	25
		+ 100	6017021	25	25

**Fibre discs,
packed into cartons**

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
115 x 22 mm 	RB 314 fibre with hole, cross slot	P 16	6007215	25	150
		P 24	65110	25	150
		P 36	16675	25	150
		P 40	78115	25	150
		P 50	29165	25	150
		P 60	29181	25	150
		P 80	91375	25	150
		P 100	6006411	25	150
		P 120	6006412	25	150
	RB 414 X with hole, cross slot	+ 36	2301695	25	150
		+ 50	2689138	25	150
		+ 60	6004425	25	150
		+ 80	6004426	25	150
	RB 414 X-Procut with hole, cross slot	+ 36	6006413	25	150
		+ 50	6006415	25	150
		+ 60	6006416	25	150
		+ 80	6006417	25	150
		+ 100	6006418	25	150
		+ 120	6006419	25	150
	CR 456 fibre-Procut with hole, cross slot	+ 36	6175818	25	150
		+ 60	6175820	25	150
		+ 80	6180647	25	150
		+ 100	6198835	25	150
		+ 120	6180648	25	150

 = Discontinued Goods

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
125 x 22 mm 	RB 314 fibre with hole, cross slot	P 16	6006420	25	150
		P 24	168777	25	150
		P 36	50067	25	150
		P 40	50091	25	150
		P 50	91405	25	150
		P 60	66338	25	150
		P 80	91421	25	150
		P 100	6006421	25	150
		P 120	6006422	25	150
	RB 414 X with hole, cross slot	+ 36	2301709	25	150
		+ 50	2689146	25	150
	RB 414 X-Procure with hole, cross slot	+ 36	6006423	25	150
		+ 40	6006424	25	150
		+ 50	6006425	25	150
		+ 60	6006426	25	150
		+ 80	6006427	25	150
		+ 100	6006428	25	150
	CR 456 fibre-Procure with hole, cross slot	+ 120	6006429	25	150
		+ 36	6178350	25	150
		+ 50	6178351	25	150
		+ 60	6170357	25	150
		+ 80	6177311	25	150
		+ 100	6198837	25	150
180 x 22 mm 	RB 314 fibre moulded B22, with hole, cross slot	P 16	6006442	25	150
		P 24	178578	25	100
		P 36	88501	25	100
		P 40	27510	25	100
		P 50	133965	25	100
		P 60	78158	25	100
		P 80	107077	25	100
		P 100	6006404	25	100
		P 120	6006405	25	100
	RB 414 X moulded B22, with hole, cross slot	+ 36	2302667	25	100
	RB 414 X-Procure moulded B22, with hole, cross slot	+ 36	6006406	25	100
		+ 50	6006408	25	100
		+ 60	6006409	25	100
		+ 80	6006410	25	100
		+ 100	6006461	25	100
		+ 120	6006462	25	100
	CR 456 fibre-Procure moulded B22, with hole, cross slot	+ 50	6179225	25	100
		+ 60	6176439	25	100
		+ 100	6181863	25	100
		+ 120	6181864	25	100



**Backing pad for
fibre discs**

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
112 mm 	Backing pad-X with M14 thread for fibre discs Ø 115 mm	116556	1	1
	Backing pad-X with cooling fins with M14 thread for fibre discs Ø 115 mm	6008087	1	1
	Backing pad-J with M14 thread for fibre discs Ø 115 mm	51497	1	1
120 mm 	Backing pad-X with M14 thread for fibre discs Ø 125 mm	34762	1	1
	Backing pad-J with M14 thread for fibre discs Ø 125 mm	68543	1	1
173 mm 	Backing pad-X with cooling fins with M14 thread for fibre discs Ø 175 mm	6111463	1	1
175 mm 	Backing pad-X with M14 thread for fibre discs Ø 180 mm	21040	1	1
	Backing pad-J with M14 thread for fibre discs Ø 180 mm	18074	1	1
178 mm 	Backing pad with internal thread with M14 thread for fibre discs Ø 180 mm	6055614	1	1

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods



for an excellent finish



Flap discs



Hermes-Flex
Cutting wheels

Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
115 x 22.23 mm	FL 390 Eco	# 40	6010002	10	270
	bevelled form	# 60	6010004	10	270
	on glass-fibre backing pad	# 80	6010005	10	270
		# 100	6010006	10	270
	RB 480 24 YX	+ 36	6116318	10	270
	straight design	+ 40	6042421	10	270
	on glass-fibre backing pad	+ 60	6042422	10	270
		+ 80	6042423	10	270
		+ 120	6041591	10	270
	RB 480 24 YX	+ 36	6042320	10	270
	bevelled form	+ 40	6029434	10	270
	on glass-fibre backing pad	+ 60	6018695	10	270
		+ 80	6042401	10	270
		+ 120	6029436	10	270
	RB 480 24 YX	+ 36	6042402	10	270
	bevelled form	+ 40	6042403	10	270
	on plastic backing pad	+ 60	6042404	10	270
		+ 80	6042405	10	270
	RB 486 24 YX	+ 60	6060631	10	270
	bevelled form	+ 80	6070352	10	270
	on glass-fibre backing pad				
	RB 486 24 YX	+ 40	6042407	10	270
	bevelled form	+ 60	6042408	10	270
	on plastic backing pad	+ 80	6042409	10	270
	Hermesit RB 535 Y	P 120	6010197	10	270
	bevelled form				
	on glass-fibre backing pad				
125 x 22.23 mm	RB 480 24 YX	+ 36	6056756	10	240
	bevelled form	+ 40	6018696	10	240
	on glass-fibre backing pad	+ 60	6018698	10	240
		+ 80	6042427	10	240
		+ 120	6039387	10	240
	RB 486 24 YX	+ 40	6042429	10	240
	bevelled form	+ 60	6042430	10	240
	on plastic backing pad	+ 80	6042431	10	240
	RB 480 24 YX	+ 36	6056755	10	120
	bevelled form	+ 40	6018697	10	10
180 x 22.23 mm	on glass-fibre backing pad	+ 40	6135353	10	120
		+ 60	6018699	10	10
		+ 60	6295536	10	120
		+ 80	6295537	10	120
	RB 480 24 YX	+ 40	6263735	10	120
	straight design	+ 80	6295549	10	120
	on glass-fibre backing pad				
	RB 486 24 YX	+ 40	6042432	10	10
	bevelled form	+ 40	6116206	10	120
	on plastic backing pad	+ 60	6042433	10	10
		+ 60	6069112	10	120

Dimension Ø x W x Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
75 x 1,0 x 10 mm	A 60 T-BF Fast Cut	6261189	50	50
	Form 41 - flat			
75 x 1,2 x 10 mm	A 60 T-BF Fast Cut	6270303	50	50
	Form 41 - flat			
100 x 2,5 x 16 mm	A 24 R-BF Premium	6010256	25	25
	Form 41 - flat			
	A 24 R-BF Premium	343196	25	25
	Form 42 - depressed			
115 x 1,0 x 22.23 mm	A 60 T-BF Fast Cut	6148750	25	25
	Form 41 - flat			
	A 60 T-BF Thin	6002478	25	25
	Form 41 - flat			
115 x 1,6 x 22.23 mm	A 60 T-BF Fast Cut	6148751	25	25
	Form 41 - flat			
	A 46 T-BF Slim	6002475	25	25
	Form 41 - flat			
115 x 2,5 x 22.23 mm	A 24 R-BF Premium	343129	25	25
	Form 41 - flat			
	A 24 R-BF Premium	343218	25	25
	Form 42 - depressed			
115 x 3,2 x 22.23 mm	A 36 T-BF General Metal	6148745	25	25
	Form 42 - depressed			
115 x 3,5 x 22.23 mm	A 46 T-BF Maestro Cut + Grind	6199499	25	25
	Form 42 - depressed			
125 x 1,0 x 22.23 mm	A 60 T-BF Fast Cut	6148752	25	25
	Form 41 - flat			
	A 60 T-BF Thin	6002479	25	25
	Form 41 - flat			
125 x 1,6 x 22.23 mm	A 60 T-BF Fast Cut	6148753	25	25
	Form 41 - flat			
	A 46 T-BF Slim	6002476	25	25
	Form 41 - flat			
125 x 2,0 x 22.23 mm	A 36 R-BF Stainless	6002472	25	25
	Form 41 - flat			
	A 30 T-BF Inox	6148756	25	25
	Form 41 - flat			
125 x 2,5 x 22.23 mm	A 24 R-BF Premium	343137	25	25
	Form 41 - flat			
	A 24 R-BF Premium	343226	25	25
	Form 42 - depressed			
	C 24 R-BF Premium	343471	25	25
	Form 42 - depressed			
	A 36 T-BF General Metal	6148746	25	25
	Form 41 - flat			
125 x 3,2 x 22.23 mm	A 36 T-BF General Metal	6148747	25	25
	Form 42 - depressed			

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

■ = Discontinued Goods



Spirally wound abrasive sleeves



Accessories

Rubber mandrels for spirally wound abrasive sleeves

Dimension Width x Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
20 x 10 mm	RB 346 CX	P 80	26344	50	1.000
20 x 22 mm	RB 346 CX	P 40	138630	50	1.000
		P 50	7501	50	1.000
		P 60	19313	50	1.000
		P 80	117889	50	1.000
		P 150	16861	50	1.000
	RB 486 X-flex	# 50	46302	50	1.000
20 x 30 mm	RB 346 CX	P 40	13374	50	1.000
		P 50	12106	50	1.000
		P 60	47783	50	1.000
		P 80	147567	50	1.000
		P 150	49956	50	1.000
30 x 15 mm	RB 346 CX	P 40	61166	50	1.000
		P 50	2518	50	1.000
		P 60	66605	50	1.000
		P 80	19690	50	1.000
		P 150	20117	50	1.000
	RB 486 X-flex	# 50	295744	50	1.000
30 x 30 mm	RB 346 CX	P 40	26018	50	1.000
		P 50	7498	50	1.000
		P 60	4618	50	1.000
		P 80	20125	50	1.000
		P 120	33030	50	1.000
		P 150	12513	50	1.000
	RB 486 X-flex	# 40	2925	50	1.000
		# 50	164755	50	1.000
		# 60	6335	50	1.000
30 x 45 mm	RB 346 CX	P 40	20591	50	1.000
		P 50	28088	50	1.000
		P 60	28053	50	1.000
		P 80	20133	50	1.000
		P 150	20141	50	1.000
	RB 486 X-flex	# 40	59838	50	1.000
		# 50	104329	50	1.000
		# 60	50148	50	1.000
		# 80	53325	50	1.000
30 x 60 mm	RB 346 CX	P 40	11908	50	1.000
		P 50	49964	50	1.000
		P 60	14400	50	1.000
		P 80	62448	50	1.000
		P 150	14451	50	1.000
	RB 486 X-flex	# 50	283754	50	1.000

Dimension Width x Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
20 x 10 mm	Rubber mandrels with shaft, Ø 6 mm n_{min} 30.000 min ⁻¹ n_{max} 44.000 min ⁻¹	262110	10	10
20 x 22 mm	Rubber mandrels with shaft, Ø 6 mm n_{min} 18.000 min ⁻¹ n_{max} 26.000 min ⁻¹	12122	10	10
20 x 30 mm	Rubber mandrels with shaft, Ø 6 mm n_{min} 13.000 min ⁻¹ n_{max} 19.100 min ⁻¹	64513	10	10
30 x 15 mm	Rubber mandrels with shaft, Ø 6 mm n_{min} 26.000 min ⁻¹ n_{max} 36.000 min ⁻¹	3271	10	10
30 x 30 mm	Rubber mandrels with shaft, Ø 6 mm n_{min} 13.000 min ⁻¹ n_{max} 19.100 min ⁻¹	33049	10	10
30 x 45 mm	Rubber mandrels with shaft, Ø 6 mm n_{min} 8.500 min ⁻¹ n_{max} 12.700 min ⁻¹	582	10	10
30 x 60 mm	Rubber mandrels with shaft, Ø 6 mm n_{min} 6.500 min ⁻¹ n_{max} 9.500 min ⁻¹	33057	10	10

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

■ = Discontinued Goods



Abrasive cones

Dimension Width x D ₁ x D ₂	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
30 x 29 x 22 mm	RB 346 23 MX	P 50	571105	50	1.000
		P 60	6001801	50	1.000
		P 150	6006189	50	1.000
60 x 36 x 22 mm	RB 346 23 MX	P 40	6006188	50	1.000
		P 50	527793	50	1.000
		P 80	527769	50	1.000
63 x 20 x 14 mm	RB 346 23 MX	P 40	527696	50	1.000
		P 50	527726	50	1.000
		P 80	527734	50	1.000
		P 120	527742	50	1.000



**Rubber mandrels
for abrasive cones**

Dimension Width x D ₁ x D ₂	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
30 x 29 x 22 mm	Rubber mandrels, conical with shaft, Ø 6 mm n_{min} 13.000 min ⁻¹ n_{max} 19.100 min ⁻¹	6007211	10	10
60 x 36 x 22 mm	Rubber mandrels, conical with shaft, Ø 6 mm n_{min} 30.000 min ⁻¹ n_{max} 44.000 min ⁻¹	2186608	10	10
63 x 20 x 14 mm	Rubber mandrels, conical with shaft, Ø 6 mm n_{min} 30.000 min ⁻¹ n_{max} 44.000 min ⁻¹	2186594	10	10



**Flap wheels
with shaft**

Dimension Ø x Width	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
30 x 10 mm	FW 340 X with shaft, Ø 6 mm	P 60	6013674	10	10
		P 80	6013686	10	10
		P 120	6013688	10	10
30 x 15 mm	FW 340 X with shaft, Ø 6 mm	P 40	6013697	10	10
		P 60	6013698	10	10
		P 80	6013699	10	10
		P 120	6013701	10	10
40 x 15 mm	FW 340 X with shaft, Ø 6 mm	P 60	6013715	10	10
		P 80	6013716	10	10
		P 120	6013717	10	10
40 x 20 mm	FW 340 X with shaft, Ø 6 mm	P 40	6013720	10	10
		P 60	6013721	10	10
		P 80	6013722	10	10
		P 120	6013724	10	10
50 x 20 mm	FW 340 X with shaft, Ø 6 mm	P 40	6013736	10	10
		P 60	6013737	10	10
		P 80	6013738	10	10
		P 120	6013740	10	10
50 x 30 mm	FW 340 X with shaft, Ø 6 mm	P 40	6013745	10	10
		P 60	6013746	10	10
		P 120	6013749	10	10
60 x 30 mm	FW 340 X with shaft, Ø 6 mm	P 40	6013763	10	10
		P 60	6013764	10	10
		P 80	6013765	10	10
		P 120	6013767	10	10
		P 320	6013771	10	10
60 x 40 mm	FW 340 X with shaft, Ø 6 mm	P 60	6013773	10	10
		P 180	6013778	10	10
80 x 30 mm	FW 340 X with shaft, Ø 6 mm	P 40	6013788	10	10
		P 60	6013789	10	10
		P 120	6013791	10	10

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

■ = Discontinued Goods



webrax-Abrasive web flap wheels



webrax-unitized grinding tools with shaft

Dimension Ø x W x Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
150 x 50 x 60 mm	webrax-OA 710 LMO, density 2	+ 80	537640	1	1
200 x 50 x 100 mm	webrax-OA 710 LMO, density 2	+ 180	527262	1	1
		+ 280	526053	1	1
	webrax-OS 715 LMO, density 2	+ 500	530360	1	1

Dimension Ø x Width	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
30 x 25 mm	webrax-OA 710 LGG foamed, density 3, with shaft Ø 6 mm	+ 100	6006190	10	10
50 x 20 mm	webrax-OA 710 LGG foamed, density 3, with shaft Ø 6 mm	+ 80	47090	10	10
		+ 180	75183	10	10





Side plates

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
60 x 13 mm	Side plates for discs with outer-Ø 150 mm	84336	2	2
100 x 13 mm	Side plates for discs with outer-Ø 200 mm	38075	2	2
138 x 13 mm	Side plates for discs with outer-Ø 250 mm	23884	2	2
170 x 13 mm	Side plates for discs with outer-Ø 300 mm	148997	2	2
270 x 13 mm	Side plates for discs with outer-Ø 400 mm	199265	2	2

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

= Discontinued Goods



Rosette discs


Dimension Ø	Type / Description	Grit	Ident No.	IPU* pcs.	OPU* pcs.
36 mm	WS flex 16 self-stick 302 on roll	+ 3000	6134379	1.000	1.000
36 mm	WS flex 16 self-stick 302 on strips with 10 pieces	+ 2500	6156984	100	100



Accessories

Backing pads for rosette discs

Dimension Width x Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
31 x 30 mm	SK-Backing pad, density 2 for self-stick rosette discs Ø 36 mm	459453	10	10
32 mm	VEL-Backing pad-J with M8 thread and micro-velcro layer	6213151	1	1
32 mm	VEL-Soft Pad with Fastlock System B for velour-backed rosette discs	6016911	1	10




Polishing discs

Dimension Ø x Höhe	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
80 x 25 mm	Polishing foam velour-backed medium	6127737	50	50
	Polishing foam velour-backed, waffled medium	6055617	50	50
	Polishing foam velour-backed, waffled soft	6270322	50	50
100 x 25 mm	Polishing foam velour-backed, waffled medium	6268125	50	50
	Polishing foam velour-backed, waffled soft	6270332	50	50
130 x 25 mm	Polishing foam velour-backed, waffled soft	6270333	50	50
150 x 25 mm	Polishing foam velour-backed medium	6127460	50	50
	Polishing foam velour-backed, waffled medium	6268126	50	50
	Polishing foam velour-backed, waffled soft	6270335	50	50

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

= Discontinued Goods




**Polishing discs,
packed into cartons**



**Polishing
felt discs**

Dimension Ø x Höhe	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
80 x 25 mm 	Polishing foam velour-backed clean up	6128440	8	8
	Polishing foam velour-backed hard	6128471	8	8
	Polishing foam velour-backed medium	6128472	8	8
	Polishing foam velour-backed soft	6128473	8	8
130 x 25 mm 	Polishing foam velour-backed clean up	6128474	3	3
	Polishing foam velour-backed medium	6128476	3	3
	Polishing foam velour-backed soft	6128477	3	3
150 x 25 mm 	Polishing foam velour-backed clean up	6128478	2	2
	Polishing foam velour-backed hard	6128479	2	2
	Polishing foam velour-backed medium	6128480	2	2
	Polishing foam velour-backed soft	6128481	2	2

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
75 mm 	Polishing felt, red/white hook and loop	6004716	50	500
80 mm 	Polishing felt hook and loop	6217122	10	10
125 mm 	Polishing felt hook and loop	6055203	10	10



**Lambswool
polishing discs**

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
80 mm 	Lambswool velour-backed	1357328	10	10
133 mm 	Lambswool velour-backed	6077696	10	10
150 mm 	Lambswool velour-backed	6206790	10	10
180 mm 	Lambswool velour-backed	6245239	10	10

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

 = Discontinued Goods



Polishing fluids

Dimension Flasche	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
70 x 85 x 215 mm	PF 90371 Polishing Fluid medium	648027	1	6
	FC-PF 90372 Polishing Fluid aggressive	6010565	1	1
	F-PF 90381 Polishing Fluid fine	6010563	1	6
	F-PF 90384 fine	6159792	1	1



Polishing cloth

Dimension Width x Length	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
320 x 320 mm	Hermes Mikrofibre Polishing cloth packed in PU-bags à 2 pieces	6209943	2	2
320 x 320 mm	Hermes Mikrofibre Polishing cloth packed in PU-bags à 50 pieces	6209914	50	50



Sanding machines

Dimension Ø	Type / Description	Ident No.	IPU* pcs.	OPU* pcs.
75 mm 125 mm 150 mm	One-hand random orbital sander air-powered with central dust extraction orbit 2.5 mm for discs Ø 75 mm for discs Ø 125 mm for discs Ø 150 mm	6187942 6187944 6187946	1 1 1	1 1 1
125 mm 150 mm	One-hand random orbital sander air-powered with central dust extraction orbit 5.0 mm for discs Ø 125 mm for discs Ø 150 mm	6187943 6187945	1 1	1 1
	Excenter Service Kit Contents (1 piece each): bearing 6000ZZ, bearing 6001ZZ, O-ring (Ø 5 mm x 2 mm), O-ring (Ø 9 mm x 1.5 mm), rotor, rotor blades (5x), notched pin, spacer disc, noise insulation, housing for noise insulation, noise insulation insert, valve shaft set, valve, valve spring, valve seat, spacer bracket, lockring for machines with Ø 75 mm for machines with Ø 125 and Ø 150 mm	6180346 6180345	1 1	1 1

IPU = Inner Packaging Unit; OPU = Outer Packaging Unit;

= Discontinued Goods





Reference



SAFETY

In order to guarantee the greatest possible occupational safety to users of Hermes abrasives, the appropriate safety pictograms appear on the product labels.



For more information on the correct use of abrasives, see the safety recommendation leaflets from FEPA. If you do not have these leaflets, please do ask us for them.

STORAGE

Hermes abrasives are quality tools and require appropriate storage conditions. Quality can be impaired by incorrect storage. Careful storage ensures maximum benefit.



- Room temperature 18 - 22°C
- Relative humidity 45 - 65%
- Store in original packaging if at all possible, and on shelves or pallets/racks
- Use deliveries in the order they arrived



- Close to radiators
- Extreme temperature fluctuations (cold/hot)
- Store directly on concrete or stone floors
- Store in unheated rooms in winter

World Wide Web

COME AND SEE OUR PAGE



Hermes Group websites are continuously updated and form an important information platform for customers and interested parties. Here you will find virtually all the information which is useful when planning and purchasing Hermes abrasives.

Hermes websites use databases to inform you about **new products** and **application solutions** and to provide you with **facts and figures** about the Hermes Group.

Numerous useful functions help you find out quickly and easily everything you need to know about Hermes abrasives. In the **"Product Finder"** for example, enter simple search queries to find the correct Hermes type and have its key product information (such as product structure and benefits) and primary applications displayed. Alternatively, use the interactive **"Contact Finder"** for a list of Hermes experts (both office-based and sales) – all over the world, of course.

Regardless of where you are on our websites, whether in the "Product Finder" or in the application solutions or in the **"Service" area** – you always have the option of downloading information about our products and application solutions for immediate use on your PC, tablet or smartphone.

Try us out. We look forward to your visit.

www.hermes-abrasives.com

Hermes Workshop Catalogues



HERMES SCHLEIFMITTEL GMBH & CO. KG

Luruper Hauptstrasse 106
22547 Hamburg, Germany

Tel. +49 40 83 30-0
Fax +49 40 83 30-230

hsd@hermes-schleifmittel.com
www.hermes-abrasives.com

